

## Littlite History

Littlite® . . . the name is synonymous with high-quality gooseneck task lights. For over thirty years we have been producing, refining and improving our task light system to meet the needs of users all over the world.

Originally conceived as an accessory for sound and lighting consoles, the simple-yet-elegant Littlite products have become the standard work lamps of numerous industries, and are found around the globe in film and television studios, radio stations, dance clubs, live venues, emergency vehicles, medical and assembly equipment-wherever an unobtrusive, effective, localized task lamp is needed.

Not only are we committed to providing the best product possible, we also strive to offer the best service and support in the industry. Littlite products rarely fail, but if they do our Limited Lifetime Warranty ensures that you won't be in the dark for long. We do not make a disposable product and we are determined that the Littlite you buy today will be with you for years and years to come.

We do all of the good work with an eye towards environmentally friendly products and production processes. We strive to make thoughtful decisions regarding all aspects of our business in order to minimize the impact on our environment. Littlites do not contain lead or other hazardous substances and are ROHS compliant.

Today our goals are the same as they always have been, Produce the best professional, versatile, flexible, durable gooseneck task light system and back it up with superior customer service.

## Littlite Warranty

### Limited Lifetime Warranty

Littlite® products are covered by a limited lifetime warranty. Limitations include solid state circuitry, which is warranted for five years from date of manufacture, and bulbs, which are warranted to work when purchased.

Full warranty details are included with each gooseneck product and can be found on our web site, [www.littlite.com](http://www.littlite.com).

For more information visit our website:

[www.littlite.com](http://www.littlite.com)



## Littlite Trademark Policy

Use of the intellectual property of Littlite LLC including but not limited to our brand name "Littlite", the Littlite logo, the Littlite Liteprint and Littlite product images, as well as product descriptions from our website and literature (which are all copyrighted) are allowed at the sole discretion of and with the written permission of Littlite, LLC strictly for the promotion and sale of our products. Our trademarks must be displayed with the ® symbol and are not to be used generically or to refer to any products other than those manufactured by Littlite, LLC



# Littlite

10087 Industrial Drive  
P. O. Box 430  
Hamburg, MI 48139-0430  
P 810-852-4242 F 810-231-1631, [sales@littlite.com](mailto:sales@littlite.com)

# Littlite®

## Gooseneck Task Lamps and Accessories



- ✦ LED ✦ Halogen ✦ Made in the USA
- ✦ Limited Lifetime Warranty ✦ Dozens of Mounting Options
- ✦ Energy Efficient, Low Voltage Operation

[www.littlite.com](http://www.littlite.com)

## Littlite LED Lampsets

Littlite® lampsets and individual goosenecks are also available with our unique LED array. Littlite LED task lights feature a blend of white and red LED elements to provide a natural, even light output. Littlite LED's are rated at 10,000 hours and operate on approximately 120mA at 12-volts, 1.5 watts, resulting in a durable, energy-efficient and compact task light for any application.

Littlite LED lampsets feature the same high-quality construction and mounting versatility as our standard lampsets and enable the user to switch between a white light output for normal operation or a red light output for low-light applications. Custom configurations are available. Contact the factory at 888-548-8548 for details.

Lampset Models	Light Output	Gooseneck Position	Removable Mount	Gooseneck Length in inches
<b>LED</b>				
L-12-LED	Red or White	Top	N/A	12
L-18-LED	Red or White	Top	N/A	18
L-7-LED	Red or White	End	N/A	12, 18
<b>Incandescent</b>				
L-1	2.4 Watt	Top	BNC	6, 12, 18
L-2	2.4 Watt	Top	-	6, 12, 18
L-8	2.4 Watt	Top	TNC	12, 18
<b>Halogen</b>				
L-3	5 Watt	Top	-	6, 12, 18
L-4	5 Watt	Top	BNC	6, 12, 18
L-7	5 Watt	End	-	12, 18
L-8-HI	5 Watt	Top	TNC	12, 18

## Littlite Lampsets

Littlite® Lampsets are the heart of our task light system. Surface mount lampsets shed light on any add-on or portable application.

Lampsets come complete with hardware for surface mounting and Snap Mount (SM) for easy, removable mounting or they can be coupled with one of our mounting accessories.

High and Low Intensity lampsets are available with 6, 12 or 18 inch gooseneck lengths and include a fully adjustable dimmer. Littlite lampsets are available with an Energy Star® qualified switch mode power supply or a Euro style Level V compliant power supply (E series).



## Littlite Individual Gooseneck Lamps

Originally designed as a detachable task light for sound and lighting consoles, Littlite goosenecks are also an ideal choice for built-in applications. We offer our individual gooseneck lights with a variety of connectors, gooseneck lengths and light sources. Our mounting accessories facilitate custom installations anywhere a task light is required.

Littlite X and XR series goosenecks feature our proprietary XLR style connector. The Littlite LLX connector has been designed specifically to securely capture the gooseneck in the connector and can be configured for a variety of gooseneck orientations.

Littlite LED individual goosenecks are available with all our standard connectors and are compatible with most sound and lighting consoles with a 12-volt task light connector. Please visit [www.littlite.com](http://www.littlite.com) for power and polarity requirements for custom and OEM applications.



Models	Light Output	Connector type	Gooseneck Length in inches
G-LED	White Only	BNC	12, 18
G-HI	5 Watt	BNC	6, 12, 18
G	2.4 Watt	BNC	6, 12, 18
P-LED	White or Red	Threaded	12, 18
P-HI	5 Watt	Threaded	6, 12, 18
P	2.4 Watt	Threaded	6, 12, 18
T-LED	White Only	TNC	12, 18
T-HI	5 Watt	TNC	6, 12, 18
T	2.4 Watt	TNC	6, 12, 18
X-LED	White Only	Straight XLR 3-Pin	12, 18
X-HI	5 Watt	Straight XLR 3-Pin	6, 12, 18
X	2.4 Watt	Straight XLR 3-Pin	6, 12, 18
X-4-LED	White or Red	Straight XLR 4-Pin	12, 18
X-4-HI	5 Watt	Straight XLR 4-Pin	6, 12, 18
X-4	2.5 Watt	Straight XLR 4-Pin	6, 12, 18
XR-LED	White Only	Right-Angle XLR 3-Pin	12, 18
XR-HI	5 Watt	Right-Angle XLR 3-Pin	6, 12, 18
XR	2.5 Watt	Right-Angle XLR 3-Pin	6, 12, 18
XR-4-LED	White or Red	Right-Angle XLR 4-Pin	12, 18
XR-4-HI	5 Watt	Right-Angle XLR 4-Pin	6, 12, 18
XR-4	2.5 Watt	Right-Angle XLR 4-Pin	6, 12, 18

## Littlite Specialty Lites

**LA Series** – Our Lectern Assembly series was designed for installation applications requiring a sleek, low-profile task light. Available with our LED or high-intensity goosenecks, the Littlite LA series is a pre-wired, drop-in assembly perfect for lecterns, workstations, custom furniture and many other locations. Mounting hardware and drilling template are included.

**MS Series** – Littlite Music Stand lights employ an adjustable friction mount assembly that works on any flat-edged music stand. Sturdy metal construction, your choice of LED or halogen light and our limited lifetime warranty insures a light that will accompany you throughout your musical career.



## Littlite Automotive Series

For over thirty years Littlite® has been the task light of choice in the entertainment industry. Our automotive series brings the same durability and reliability from the concert hall to your vehicle.

Our L-Series Automotive lampsets are available with 6, 12 or 18-inch goosenecks. Choose between our energy efficient LED series or the 5 watt halogen bulb series. LED models can be switched between a red or white color output. Halogen lampsets feature a full range dimmer and removable red color filter. All lampsets come with mounting hardware and wiring kits.

The L-5 series features an end-mount gooseneck that lays flat when not in use. Designed for a variety of surface mount applications, the L-5 is ideal for computer mounts and mobile workstations.

The L-6 includes a 12-volt power adapter that can be powered from any 12-volt power point. Use one of our mounting accessories for a perfect light for various locations.

The L-9 series has our traditional top-mount gooseneck. Like the L-5, the 24" wiring exits the bottom of the chassis for a clean installation.

### Stowlite

A handy, stowable, temporary task light, the Stowlite plugs into any 12-volt power point and provides ample lighting from the 2.4-watt incandescent lamp. The Stowlite is small enough to fit in map pockets, glove compartments and stowage bins.



Models	Light Output	Gooseneck Length in Inches
L-5-LED	Switchable Red/White LED	12, 18
L-5	5-Watt Halogen	6, 12, 18
L-6-LED	Switchable Red/White LED	12, 18
L-6	5-Watt Halogen	6, 12, 18
L-9-LED	Switchable Red/White LED	12, 18
L-9	5-Watt Halogen	6, 12, 18

## Littlite LDC/Multi-Volt Products

Littlite Multi-Volt circuitry provides dimming control and voltage conversion for all Littlite task lights. Our LDC products dim LED or incandescent lights and operate on input voltage of 12-28Vdc. Multiple lights can be connected to a single LDC in any combination up to 1 Amp.

The LDC 1 and LDC 2 are chassis mounted controllers that connect to Littlite lampsets using the 2.1 x 5.5 mm connector and our cable accessories. The LDC 3 circuit board is available for custom installations.

Any standard L-Series Littlite lampset can be ordered with LDC circuitry by replacing the "L" in the model number with "MV" (ex: MV-18-LED).



## Littlite Raktites

The Littlite® RL series is available with your choice of one or two 12" goosenecks with LED array with on/off switch or 5-watt halogen bulbs with dimmer. Littlite Raktites provide illumination for an entire rack of lighting or audio equipment and enable the user to adjust illumination for patching or general rack service. The gooseneck light is recessed into a sturdy black metal E.I.A. standard 19" wide x 1.75" high rack panel. It is available in 110V and 240 volt versions.

The Littlite RLX Raktite is a sleek black single space rack panel (1.75") equipped with two 3-pin XLR connectors ready to receive one or two X or XR detachable Littlites. The convenient dimmer enables the user to adjust the brightness of the Littlites to the desired intensity. The flexible goosenecks direct the light exactly as needed: at turntables, CD changers, audio or lighting racks. Available in 110V and 240 volt versions. (Goosenecks not included.)



## Littlite Raktit

The Littlite Raktit mounts a Littlite L-series lampset in a rack without using valuable rack space. The 5.25" x 1.00" mounting bracket spans a three RU space and will not interfere with rack mounted equipment controls. The Raktit can also be used as a universal, surface mounting bracket for Littlite lampsets.



# Littlite Accessories

## Mounting Accessories

CL Adjustable Clip

CWB Cast Weighted Base

HTC High Tension Clamp

MB Magnetic Base

MP Mounting Plate

MP-2 Dual Mounting Plate

PS BNC Panel Socket

PS-T TNC Panel Socket

RAKIT Rack Mounting Bracket

XLR-PS3 3-Pin XLR Panel Socket

XLR-PS4 4-Pin XLR Panel Socket



CWB



BA



GXF-10

## Power Supply & Accessories

BA BNC to 2.1mm adapter cable, 2' length

CP-2 Cigarette plug adapter with 5' cord

EXF-10G Euro power supply with 6' cord

EXT Extension cable for power supply, 6' length

GAD 2.1mm connector to spade end connector

GXF-10 ENERGY STAR® qualified switch mode power supply

LAD 2.1mm connector to bare end adapter

LV 12-volt automotive wiring kit

PYE 4-to-1 adapter connects multiple Littlites to single power supply, 12" length

WYE 2-to-1 adapter connects two Littlites to single power supply, 12" length



WYE



HH



L-K

## Parts, etc.

CF Color filter kit. One each clear, red and blue

DM Dimmer for Littlite installation. (Use RD for lampsets)

GPK Chassis kit for G-series goosenecks

GPK-T Chassis kit for T-series goosenecks

HH High Hood for use with Q5 bulb/High Intensity lights

HIC High Intensity Conversion Kit

HLK Hood Locking Kit

L-1 BNC chassis assembly

L-8 TNC chassis assembly

LH Low Hood for use with 1815 bulb/ Low Intensity lights

LK Replacement knob for lampset dimmer or switch

LX X-Hood for use with X and XR series goosenecks, high or low intensity

NVF Night Vision Filter. Pack of three, specify clear, red or blue

O-KIT 12-pack of O-Rings for Littlite gooseneck hoods (excluding X and XR series)

O-KIT-X 12-pack of O-Rings for X and XR series goosenecks

RD Replacement dimmer assembly for L-series lampsets (excluding LED)

SC Storage Clips

SM Snap Mount

XC Storage Clip for X and Automotive series



HIC

## Replacement Bulbs

Q5 12 volt, 5 watt tungsten-halogen bayonet base. 420mA maximum with a rated life of 2000 hours

Q5-2 Q5 two pack



Q5-2

1815 12 volt, 2.4 watt incandescent bayonet base. 230mA with a rated life of 3000 hours

1815-2 1815 two pack



1815-2

Accessories featured below include a CF color filter kit for a mood change, SC storage clips secure your Littlite in transit, a HTC high tension clamp & MB magnetic base make your lampset portable. Add a GPK to any "G" series gooseneck and turn it into a complete lampset.

For more information visit our website

[www.littlite.com](http://www.littlite.com).



CF

SC



HTC



MB



SM



GPK