



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Retail Pricing
Pricing subject to change without notice.

Permanently Attached Gooseneck Lampset - LED

Model	Description
L-12-LED	LED 12" Permanently Attached Gooseneck Lampset (U.S. Power Supply)
L-12-LED-BLUE	Blue LED Lampset. 12" Gooseneck. Mounting Kit. Power Supply
L-12-LED-UV365	UV LED Lampset. 12" Gooseneck. Mounting Kit. US Power Supply.
L-12-LED-3	12" Gooseneck. Mounting Kit. Power Supply
L-12A-LED	LED 12" Permanently Attached Gooseneck Lampset (No Power Supply)
L-12A-LED-BLUE	Blue LED Lampset. 12" Gooseneck. Mounting Kit. No Power Supply
L-12A-LED-3	12" Gooseneck. Mounting Kit. No Power Supply
L-12A-LED-3-UV	12" Gooseneck Mounting Kit No Power Supply
L-18-LED	LED 18" Permanently Attached Gooseneck Lampset (U.S. Power Supply)
L-18-LED-BLUE	Blue LED Lampset. 18" Gooseneck. Mounting Kit. Power Supply
L-18-LED-UV365	UV LED Lampset. 18" Gooseneck. Mounting Kit. US Power Supply.
L-18-LED-3	18" Gooseneck. Mounting Kit. Power Supply
L-18A-LED	LED 18" Permanently Attached Gooseneck Lampset (No Power Supply)
L-18A-LED-BLUE	Blue LED Lampset. 18" Gooseneck. Mounting Kit. No Power Supply
L-18A-LED-3	18" Gooseneck. Mounting Kit. No Power Supply
L-18A-LED-3-UV	18" Gooseneck Mounting Kit No Power Supply

Permanently Attached Gooseneck Lampset - High Intensity Halogen

Model	Description
L-3/6	High Intensity 6" Permanently Attached Gooseneck Lampset (U.S. Power Supply)
L-3/6A	High Intensity 6" Permanently Attached Gooseneck Lampset (No Power Supply)
L-3/12	High Intensity 12" Permanently Attached Gooseneck Lampset (U.S. Power Supply)
L-3/12A	High Intensity 12" Permanently Attached Gooseneck Lampset (No Power Supply)
L-3/18	High Intensity 18" Permanently Attached Gooseneck Lampset (U.S. Power Supply)
L-3/18A	High Intensity 18" Permanently Attached Gooseneck Lampset (No Power Supply)

Permanently Attached Gooseneck Lampset - Low Intensity Halogen

Model	Description
L-2/6	Low Intensity 6" Permanently Attached Gooseneck Lampset (U.S. Power Supply)
L-2/6A	Low Intensity 6" Permanently Attached Gooseneck Lampset (No Power Supply)
L-2/12	Low Intensity 12" Permanently Attached Gooseneck Lampset (U.S. Power Supply)
L-2/12A	Low Intensity 12" Permanently Attached Gooseneck Lampset (No Power Supply)
L-2/18	Low Intensity 18" Permanently Attached Gooseneck Lampset (U.S. Power Supply)
L-2/18A	Low Intensity 18" Permanently Attached Gooseneck Lampset (No Power Supply)

Permanently Attached End-Mount Gooseneck Lampset - LED

Model	Description
L-7/12-LED	LED 12" Permanently Attached End-Mount Gooseneck Lampset (U.S. Power Supply)
L-7/12-LED-BLUE	Blue LED Lampset. 12" Gooseneck. Mounting Kit. Power Supply
L-7/12-LED-3	12" End Mount Gooseneck. Mounting Kit. Power Supply
L-7/12-LED-3-UV	12" End Mount Gooseneck Mounting Kit Power Supply

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
L-7/12A-LED	LED 12" Permanently Attached End-Mount Gooseneck Lampset (No Power Supply)
L-7/12A-LED-BLUE	Blue LED Lampset. 12" Gooseneck. Mounting Kit. No Power Supply
L-7/12A-LED-3	12" End Mount Gooseneck. Mounting Kit. No Power Supply
L-7/12A-LED-3-UV	12" End Mount Gooseneck Mounting Kit No Power Supply
L-7/18-LED	LED 18" Permanently Attached End-Mount Gooseneck Lampset (U.S. Power Supply)
L-7/18-LED-BLUE	Blue LED Lampset. 18" Gooseneck. Mounting Kit. Power Supply
L-7/18-LED-3	18" End Mount Gooseneck. Mounting Kit. Power Supply
L-7/18-LED-3-UV	18" End Mount Gooseneck Mounting Kit Power Supply

Desk Lights - LED

Model	Description
LW-12-LED	LED 12" Desk Light with Dimmer (U.S. Power Supply)
LW-18-LED	LED 18" Desk Light with Dimmer (U.S. Power Supply)
LW-24-LED	LED Desk Light with Dimmer. 24" Gooseneck. US Power Supply.
LW-24E-LED	LED Desk Light with Dimmer. 24" Gooseneck. Euro Power Supply.

Desk Lights - High Intensity Halogen

Model	Description
LW-12-HI	High Intensity 12" Desk Light with Dimmer (U.S. Power Supply)
LW-18-HI	High Intensity 18" Desk Light with Dimmer (U.S. Power Supply)

Permanently Attached End-Mount Gooseneck Lampset - LED

Model	Description
L-7/18A-LED	LED 18" Permanently Attached End-Mount Gooseneck Lampset (No Power Supply)
L-7/18A-LED-BLUE	Blue LED Lampset. 18" Gooseneck. Mounting Kit. No Power Supply
L-7/18A-LED-3	18" End Mount Gooseneck. Mounting Kit. No Power Supply
L-7/18A-LED-3-UV	18" End Mount Gooseneck Mounting Kit No Power Supply

Permanently Attached End-Mount Gooseneck Lampset - High Intensity Halogen

Model	Description
L-7/6	High Intensity 6" Permanently Attached End-Mount Gooseneck Lampset (U.S. Power Supply)
L-7/6A	High Intensity 6" Permanently Attached End-Mount Gooseneck Lampset (No Power Supply)
L-7/12	High Intensity 12" Permanently Attached End-Mount Gooseneck Lampset (U.S. Power Supply)
L-7/12A	High Intensity 12" Permanently Attached End-Mount Gooseneck Lampset (No Power Supply)
L-7/18	High Intensity 18" Permanently Attached End-Mount Gooseneck Lampset (U.S. Power Supply)
L-7/18A	High Intensity 18" Permanently Attached End-Mount Gooseneck Lampset (No Power Supply)

Lectern Permanently Attached Flush Mount Gooseneck - LED

Model	Description
LA-18P-LED	LED 18" Lectern Permanently Attached Flush Mount Gooseneck Lampset (U.S. Power Supply)
LA-24P-LED	LED 24" Attached Gooseneck Lectern Assembly with Power Supply.
LA-24PA-LED	LED 24" Attached Gooseneck Lectern Assembly. No Power Supply.
LA-24PE-LED	LED 24" Attached Gooseneck Lectern Assembly. Euro Power Supply.
LA-18PA-LED	LED 18" Lectern Permanently Attached Flush Mount Gooseneck Lampset (No Power Supply)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Lectern Permanently Attached Flush Mount Gooseneck - High Intensity Halogen

Model	Description
LA-18P-HI	High Intensity 18" Lectern Permanently Attached Flush Mount Gooseneck Lampset (U.S. Power Supply)
LA-18PA-HI	High Intensity 18" Lectern Permanently Attached Flush Mount Gooseneck Lampset (No Power Supply)

Lectern Detachable Flush Mount Gooseneck Lampset - LED

Model	Description
LA-18-LED	LED 18" Lectern Detachable Flush Mount Gooseneck Lampset (U.S. Power Supply)
LA-18A-LED	LED 18" Lectern Detachable Attached Flush Mount Gooseneck Lampset (No Power Supply)

Lectern Detachable Flush Mount Gooseneck Lampset - High Intensity Halogen

Model	Description
LA-18-HI	High Intensity 18" Lectern Detachable Flush Mount Gooseneck Lampset (U.S. Power Supply)
LA-18A-HI	High Intensity 18" Lectern Detachable Flush Mount Gooseneck Lampset (No Power Supply)

Lectern Permanently Attached Flush Mount Gooseneck - High Intensity Halogen

Model	Description
IS#2	High Intensity 18" Permanently Attached Gooseneck Lampset with Bottom Mount Cordset(U.S. Power Supply)
IS#2A-LED-BLUE	L-18-LED-BLUE with Bottom Mount Cordset. No power supply.
IS#2-E-LED	L-18-LED with Bottom Mount Cordset. Euro power supply.
IS#2A-LED	L-18-LED with Bottom Mount Cordset. No power supply.
IS#2-E	L-3/18 with Bottom Mount Cordset. Euro power supply.
IS#2A	L-3/18 with Bottom Mount Cordset. No power supply.
IS#2A-LED-3	L-18-LED-3 with Bottom Mount Cordset. No Power Supply.
IS#2E-LED-3	L-18-LED-3 with Bottom Mount Cordset. Euro Power Supply.
IS#2A-LED-3-UV	L-18-LED-3-UV with Bottom Mount Cordset No Power Supply
IS#2E-LED-3-UV	L-18-LED-3-UV with Bottom Mount Cordset Euro Power Supply
IS#3	High Intensity 12" Permanently Attached Gooseneck Lampset with Bottom Mount Cordset(U.S. Power Supply)
IS#3A-LED-BLUE	L-12-LED-BLUE with Bottom Mount Cordset. No power supply.
IS#3-E-LED	L-12-LED with Bottom Mount Cordset. Euro power supply.
IS#3A-LED	L-12-LED with Bottom Mount Cordset. No power supply.
IS#3-E	L-3/12 with Bottom Mount Cordset. Euro power supply.
IS#3A	L-3/12 with Bottom Mount Cordset. No power supply.
IS#3A-LED-3	L-12-LED-3 with Bottom Mount Cordset. No Power Supply.
IS#3E-LED-3	L-12-LED-3 with Bottom Mount Cordset. Euro Power Supply.
IS#3A-LED-3-UV	L-12-LED-3-UV with Bottom Mount Cordset No Power Supply
IS#3E-LED-3-UV	L-12-LED-3-UV with Bottom Mount Cordset Euro Power Supply

Lectern Permanently Attached Flush Mount Gooseneck - LED

Model	Description
IS#2-LED	LED 18" Permanently Attached Gooseneck Lampset with Bottom Mount Cordset(U.S. Power Supply)
IS#2-LED-BLUE	L-18-LED-BLUE with Bottom Mount Cordset. US Power Supply.
IS#2-LED-UV365	L-18-LED with UV LED Bottom Mount Cordset. US Power Supply.
IS#2-LED-3	L-18-LED-3 with Bottom Mount Cordset. US Power Supply.
IS#3-LED	LED 12" Permanently Attached Gooseneck Lampset with Bottom Mount Cordset(U.S. Power Supply)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
IS#3-LED-BLUE	L-12-LED-BLUE with Bottom Mount Cordset. US Power Supply.
IS#3-LED-UV365	L-12-LED with UV LED Bottom Mount Cordset. US Power Supply.
IS#3-LED-3	L-12-LED-3 with Bottom Mount Cordset. US Power Supply.

Music Stand Lights - LED

Model	Description
MS-12-LED	LED 12" Music Stand Gooseneck Lampset (U.S. Power Supply)
MS-12A-LED	LED 12" Music Stand Gooseneck Lampset (No Power Supply)
MS-18-LED	LED 18" Music Stand Gooseneck Lampset (U.S. Power Supply)
MS2-12-LED	12" LED Gooseneck Music Stand Light with Clamp Arm & Touch Dimmer. US Power Supply.
MS2-18-LED	18" LED Gooseneck Music Stand Light with Clamp Arm & Touch Dimmer. US Power Supply.
MS2-12E-LED	12" LED Gooseneck Music Stand Light with Clamp Arm & Touch Dimmer. Euro Power Supply.
MS2-18E-LED	18" LED Gooseneck Music Stand Light with Clamp Arm & Touch Dimmer. Euro Power Supply.
MS-18A-LED	LED 18" Music Stand Gooseneck Lampset (No Power Supply)

Music Stand Lights - High Intensity Halogen

Model	Description
MS-12-HI	High Intensity 12" Music Stand Gooseneck Lampset (U.S. Power Supply)
MS-12A-HI	High Intensity 12" Music Stand Gooseneck Lampset (No Power Supply)
MS-18-HI	High Intensity 18" Music Stand Gooseneck Lampset (U.S. Power Supply)
MS-18A-HI	High Intensity 18" Music Stand Gooseneck Lampset (No Power Supply)

BNC Detachable Gooseneck Lampset - High Intensity Halogen

Model	Description
L-4/6	High Intensity 6" Detachable BNC Gooseneck Lampset (U.S. Power Supply)
L-4/6A	High Intensity 6" Detachable BNC Gooseneck Lampset (No Power Supply)
L-4/12	High Intensity 12" Detachable BNC Gooseneck Lampset (U.S. Power Supply)
L-4/12A	High Intensity 12" Detachable BNC Gooseneck Lampset (No Power Supply)
L-4/18	High Intensity 18" Detachable BNC Gooseneck Lampset (U.S. Power Supply)
L-4/18A	High Intensity 18" Detachable BNC Gooseneck Lampset (No Power Supply)

BNC Detachable Gooseneck Lampset - Low Intensity Halogen

Model	Description
L-1/6	Low Intensity 6" Detachable BNC Gooseneck Lampset (U.S. Power Supply)
L-1/6A	Low Intensity 6" Detachable BNC Gooseneck Lampset (No Power Supply)
L-1/12	Low Intensity 12" Detachable BNC Gooseneck Lampset (U.S. Power Supply)
L-1/12A	Low Intensity 12" Detachable BNC Gooseneck Lampset (No Power Supply)
L-1/18	Low Intensity 18" Detachable BNC Gooseneck Lampset (U.S. Power Supply)
L-1/18A	Low Intensity 18" Detachable BNC Gooseneck Lampset (No Power Supply)

TNC Detachable Gooseneck Lampset - High Intensity Halogen

Model	Description
L-8/6-HI	High Intensity 6" Detachable TNC Gooseneck Lampset (U.S. Power Supply)
L-8/6A-HI	High Intensity 6" Detachable TNC Gooseneck Lampset (No Power Supply)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
L-8/12-HI	High Intensity 12" Detachable TNC Gooseneck Lampset (U.S. Power Supply)
L-8/12A-HI	High Intensity 12" Detachable TNC Gooseneck Lampset (No Power Supply)
L-8/18-HI	High Intensity 18" Detachable TNC Gooseneck Lampset (U.S. Power Supply)
L-8/18A-HI	High Intensity 18" Detachable TNC Gooseneck Lampset (No Power Supply)

TNC Detachable Gooseneck Lampset - Low Intensity Halogen

Model	Description
L-8/6	Low Intensity 6" Detachable TNC Gooseneck Lampset (U.S. Power Supply)
L-8/6A	Low Intensity 6" Detachable TNC Gooseneck Lampset (No Power Supply)
L-8/12	Low Intensity 12" Detachable TNC Gooseneck Lampset (U.S. Power Supply)
L-8/12A	Low Intensity 12" Detachable TNC Gooseneck Lampset (No Power Supply)
L-8/18	Low Intensity 18" Detachable TNC Gooseneck Lampset (U.S. Power Supply)
L-8/18A	Low Intensity 18" Detachable TNC Gooseneck Lampset (No Power Supply)

Individual Goosenecks (Permanent Mount Lamp) - LED

Model	Description
12P-LED	LED 12" Gooseneck Lamp w/ Threaded Connector
18P-LED	LED 18" Gooseneck Lamp w/ Threaded Connector

Individual Goosenecks (Permanent Mount Lamp) - High Intensity Halogen

Model	Description
6P-HI	High Intensity 6" Gooseneck Lamp w/ Threaded Connector
12P-HI	High Intensity 12" Gooseneck Lamp w/ Threaded Connector
18P-HI	High Intensity 18" Gooseneck Lamp w/ Threaded Connector

Individual Goosenecks (Permanent Mount Lamp) - Low Intensity Halogen

Model	Description
6P	Low Intensity 6" Gooseneck Lamp w/ Threaded Connector
12P	Low Intensity 12" Gooseneck Lamp w/ Threaded Connector
18P	Low Intensity 18" Gooseneck Lamp w/ Threaded Connector

Individual Goosenecks (BNC Mount Lamp) - LED

Model	Description
12G-LED	LED 12" Gooseneck LED Lamp w/ BNC Connector
18G-LED	LED 18" Gooseneck LED Lamp w/ BNC Connector

Individual Goosenecks (BNC Mount Lamp) - High Intensity Halogen

Model	Description
6G-HI	High Intensity 6" Gooseneck Lamp w/ BNC Connector
12G-HI	High Intensity 12" Gooseneck Lamp w/ BNC Connector
18G-HI	High Intensity 18" Gooseneck Lamp w/ BNC Connector

Individual Goosenecks (BNC Mount Lamp) - Low Intensity Halogen

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
6G	Low Intensity 6" Gooseneck Lamp w/ BNC Connector
12G	Low Intensity 12" Gooseneck Lamp w/ BNC Connector
18G	Low Intensity 18" Gooseneck Lamp w/ BNC Connector

Individual Goosenecks (TNC Mount Lamp) - LED

Model	Description
12T-LED	LED 12" Gooseneck Lamp w/ TNC Connector
18T-LED	LED 18" Gooseneck Lamp w/ TNC Connector

Individual Goosenecks (TNC Mount Lamp) - High Intensity Halogen

Model	Description
6T-HI	High Intensity 6" Gooseneck Lamp w/ TNC Connector
12T-HI	High Intensity 12" Gooseneck Lamp w/ TNC Connector
18T-HI	High Intensity 18" Gooseneck Lamp w/ TNC Connector

Individual Goosenecks (TNC Mount Lamp) - Low Intensity Halogen

Model	Description
6T	Low Intensity 6" Gooseneck Lamp w/ TNC Connector
12T	Low Intensity 12" Gooseneck Lamp w/ TNC Connector
18T	Low Intensity 18" Gooseneck Lamp w/ TNC Connector

Individual Goosenecks (3-Pin XLR Mount Lamp) - LED

Model	Description
12X-LED	LED 12" Gooseneck Lamp w/ 3-Pin XLR Connector
12X-LED-NA	12" Gen V LED w/LLX Barrel/Dimmer and US power supply
12X-LED-NA-USB	12" 5-VOLT LED w/LLX Barrel/Dimmer and USB Cable
18X-LED	LED 18" Gooseneck Lamp w/ 3-Pin XLR Connector
CC-EE12E-LED	CC Lampset, 12" end mount gooseneck, end mount cord. Euro power supply included.
CC-TE18E-LED	CC Lampset, 18" top mount gooseneck, end mount cord. Euro power supply included.
CC-EB18-LED	CC Lampset, 18" end mount gooseneck, bottom mount cord. Power supply included.
CC-TE12E-LED	CC Lampset, 12" top mount gooseneck, end mount cord. Euro power supply included.
CC-EB12-LED	CC Lampset, 12" end mount gooseneck, bottom mount cord. Power supply included.
CC-TB18-LED	CC Lampset, 18" top mount gooseneck, bottom mount cord. Power supply included.
CC-TB12-LED	CC Lampset, 12" top mount gooseneck, bottom mount cord. Power supply included.
CC-EE18E-LED	CC Lampset, 18" end mount gooseneck, end mount cord. Euro power supply included.
CC-EE18-LED	CC Lampset, 18" end mount gooseneck, end mount cord. Power supply included.
CC-TE18-LED	CC Lampset, 18" top mount gooseneck, end mount cord. Power supply included.
CC-EB18-LED-AW	CC Lampset, 18" end mount gooseneck, bottom mount cord. Automotive Wiring.
CC-TB12-LED-AW	CC Lampset, 12" top mount gooseneck, bottom mount cord. Automotive Wiring.
CC-TE18A-LED	CC Lampset, 18" top mount gooseneck, end mount cord. No power supply.
CC-EE12A-LED	CC Lampset, 12" end mount gooseneck, end mount cord. No power supply included.
CC-EB6-LED-AW	CC Lampset, 6" end mount gooseneck, bottom mount cord. Automotive Wiring.
CC-EE18A-LED	CC Lampset, 18" end mount gooseneck, end mount cord. No power supply included.
CC-EB12-LED-AW	CC Lampset, 12" end mount gooseneck, bottom mount cord. Automotive Wiring.
CC-TE12-LED	CC Lampset, 12" top mount gooseneck, end mount cord. Power supply included.

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
CC-TB18-LED-AW	CC Lampset, 18" top mount gooseneck, bottom mount cord. Automotive Wiring.
CC-TE12A-LED	CC Lampset, 12" top mount gooseneck, end mount cord. No power supply.
FL-18X-LED	18" GEN V LED WITH COLLAPSABLE FLOOR STAND TRIPOD. DIMMER AND POWER SUPPLY.
18X-LED-MIC	18" GEN V LED with MIC STAND ADAPTER. DIMMER AND POWER SUPPLY.
18X-LED-NA	18" GEN V LED WITH LLX BARREL/DIMMER AND POWER SUPPLY
CC-TB6-LED-AW	CC Lampset, 6" top mount gooseneck, bottom mount cord. Automotive Wiring.
CC-EE12-LED	CC Lampset, 12" end mount gooseneck, end mount cord. Power supply included.
CC-TB18E-LED	CC Lampset, 18" top mount gooseneck, bottom mount cord. Euro power supply included.
CC-TB18A-LED	CC Lampset, 18" top mount gooseneck, bottom mount cord. No power supply included.
CC-TB12E-LED	CC Lampset, 12" top mount gooseneck, bottom mount cord. Euro power supply included.
CC-TB12A-LED	CC Lampset, 12" top mount gooseneck, bottom mount cord. No power supply included.
18X-LED-NA-USB	18" 5-VOLT LED w/LLX Barrel/Dimmer and USB Cable
CC-EB18A-LED	CC Lampset, 18" end mount gooseneck, bottom mount cord. No Power Supply.
CC-EB18E-LED	CC Lampset, 18" end mount gooseneck, bottom mount cord. Euro Power Supply.

Individual Goosenecks (3-Pin XLR Mount Lamp) - High Intensity Halogen

Model	Description
6X-HI	High Intensity 6" Gooseneck Lamp w/ 3-Pin XLR Connector
12X-HI	High Intensity 12" Gooseneck Lamp w/ 3-Pin XLR Connector
18X-HI	High Intensity 18" Gooseneck Lamp w/ 3-Pin XLR Connector

Individual Goosenecks (3-Pin XLR Mount Lamp) - Low Intensity Halogen

Model	Description
6X	Low Intensity 6" Gooseneck Lamp w/ 3-Pin XLR Connector
12X	Low Intensity 12" Gooseneck Lamp w/ 3-Pin XLR Connector
18X	Low Intensity 18" Gooseneck Lamp w/ 3-Pin XLR Connector

Individual Goosenecks (3-Pin Right Angle XLR Mount) - LED

Model	Description
12XR-LED	LED 12" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector
12XR-LED-NA	12" Gen V LED w/ Right Angle LLX Barrel/Dimmer and US power supply
12XR-LED-NA-USB	12" 5-VOLT LED w/ Right Angle LLX Barrel/Dimmer and USB Cable
18XR-LED	LED 18" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector
18XR-LED-NA	18" Gen V LED w/ Right Angle LLX Barrel/Dimmer and US power supply
18XR-LED-NA-USB	18" 5-VOLT LED w/ Right Angle LLX Barrel/Dimmer and USB Cable
24X-4-LED-180	LED, 24" Gooseneck, 4-PIN XLR Connector-(Midas Venice)
24X-4-LED	LED, 24" Gooseneck, 4-PIN XLR Connector
24X-LED	LED 24" Gooseneck, 3-PIN XLR Connector
24XR-LED	LED, 24" Gooseneck, 3-PIN, Right Angle XLR Connector
24XR-4-LED	LED, 24" Gooseneck, 4-PIN, Right Angle XLR Connector
24XR-4-LED-ML	24" 4 Pin XLR LED for Midas Pro2 Left side.
24XR-4-LED-MR	24" 4 Pin XLR LED for Midas Pro2 Right side.
24XR-4-LED-M32	LED 24" Gooseneck 4 Pin Right Angle XLR Connector for Midas 32 Console

Individual Goosenecks (3-Pin Right Angle XLR Mount) - High Intensity Halogen

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
6XR-HI	High Intensity 6" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector
12XR-HI	High Intensity 12" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector
18XR-HI	High Intensity 18" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector

Individual Goosenecks (3-Pin Right Angle XLR Mount) - Low Intensity Halogen

Model	Description
6XR	Low Intensity 6" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector
12XR	Low Intensity 12" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector
18XR	Low Intensity 18" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector

Individual Goosenecks (4-Pin XLR Mount Lamp) - LED

Model	Description
12X-4-LED	LED 12" Gooseneck Lamp w/ 4-Pin XLR Connector
12X-4-LED-180	LED 12" Gooseneck Lamp w/ 4-Pin XLR Connector (for Midas Venice)
18X-4-LED	LED 18" Gooseneck Lamp w/ 4-Pin XLR Connector
18X-4-LED-180	LED 18" Gooseneck Lamp w/ 4-Pin XLR Connector, Rotated 180-degrees (for Midas Venice, Behringer X32)

Individual Goosenecks (4-Pin XLR Mount Lamp) - High Intensity Halogen

Model	Description
6X-HI-4	High Intensity 6" Gooseneck Lamp w/ 4-Pin XLR Connector
12X-HI-4	High Intensity 12" Gooseneck Lamp w/ 4-Pin XLR Connector
18X-HI-4	High Intensity 18" Gooseneck Lamp w/ 4-Pin XLR Connector

Individual Goosenecks (4-Pin XLR Mount Lamp) - Low Intensity Halogen

Model	Description
6X-4	Low Intensity 6" Gooseneck Lamp w/ 4-Pin XLR Connector
12X-4	Low Intensity 12" Gooseneck Lamp w/ 4-Pin XLR Connector
18X-4	Low Intensity 18" Gooseneck Lamp w/ 4-Pin XLR Connector

Individual Goosenecks (4-Pin Right Angle XLR Mount) - LED

Model	Description
12XR-4-LED	LED 12" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector
18XR-4-LED	LED 18" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector
PRO2-LED SET	SPECIALLY PRICED LED SET FOR MIDAS PRO2
18XR-4-LED-MR	18" 4-PIN XLR LED-MIDAS PRO2C. PRO2 RIGHT SIDE
18XR-4-LED-ML	18" 4-PIN XLR LED-MIDAS PRO2 LEFT SIDE
18XR-4-LED-M32	LED 18" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector (Midas M32, Behringer X32 COMPACT)

Individual Goosenecks (4-Pin Right Angle XLR Mount) - High Intensity Halogen

Model	Description
6XR-HI-4	High Intensity 6" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector
12XR-HI-4	High Intensity 12" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector
18XR-HI-4	High Intensity 18" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Individual Goosenecks (4-Pin Right Angle XLR Mount) - LED

Model	Description
18XR-HI-4-ML	18" 4-PIN XLR HI INTENSITY MIDAS PRO2 LEFT SIDE
18XR-HI-4-MR	18" 4-PIN XLR HI INTENSITY-MIDAS PRO2C. PRO2 RIGHT SIDE
PRO2-HI SET	SPECIALLY PRICED HI INTENSITY SET FOR MIDAS PRO2

Individual Goosenecks (4-Pin Right Angle XLR Mount) - Low Intensity Halogen

Model	Description
6XR-4	Low Intensity 6" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector
12XR-4	Low Intensity 12" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector
18XR-4	Low Intensity 18" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector

Raklite Single - LED

Model	Description
RL-10-S-LED	Raklite with (1) 12" LED Gooseneck (1 RU, U.S. Power Supply)
RL-10-SA-LED	Raklite with (1) 12" LED Gooseneck (1 RU, No Power Supply)

Raklite Single - High Intensity Halogen

Model	Description
RL-10-S	Raklite with (1) 12" High-Intensity Gooseneck (1 RU, U.S. Power Supply)
RL-10-SA	Raklite with (1) 12" High-Intensity Gooseneck (1 RU, No Power Supply)

Raklite Dual - LED

Model	Description
RL-10-D-LED	Raklite with (2) 12" LED Gooseneck (1 RU, U.S. Power Supply)
RL-10-DA-LED	Raklite with (2) 12" LED Gooseneck (1 RU, No Power Supply)

Raklite Dual - High Intensity Halogen

Model	Description
RL-10-D	Raklite with (2) 12" High-Intensity Gooseneck (1 RU, U.S. Power Supply)
RL-10-DA	Raklite with (2) 12" High-Intensity Gooseneck (1 RU, No Power Supply)

Raklite Dual - 3-PIN XLR Connector

Model	Description
RLX	Raklite with (2) 3-Pin XLR Connectors (1 RU, U.S. Power Supply)
RLX-A	Raklite with (2) 3-Pin XLR Connectors (1 RU, No Power Supply)

Automotive Lampsets - LED

Model	Description
L-6/12-LED	LED 12" Gooseneck Automotive Lamp (End Chassis Light, Detachable Cigarette Plug Adapter)
L-6/12-LED-BLUE	Blue LED. Permanent Mount 12" Gooseneck. Detachable Cigarette Plug Adapter
L-6/18-LED	LED 18" Gooseneck Automotive Lamp (End Chassis Light, Detachable Cigarette Plug Adapter)
L-6/18-LED-BLUE	Blue LED. Permanent Mount 18" Gooseneck. Detachable Cigarette Plug Adapter
L-5/12-LED	LED 12" Gooseneck Automotive Lamp (End Chassis Light, Wiring Kit)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
L-5/12-LED-BLUE	Blue LED. Permanent End Mount 12" Gooseneck. Automotive Wiring Kit
L-5/12-LED-3	End Mount 12" Gooseneck. Automotive Wiring Kit
L-5/12-LED-3-UV	End Mount 12" Gooseneck Automotive Wiring Kit
L-5/18-LED	LED 18" Gooseneck Automotive Lamp (End Chassis Light, Wiring Kit)
L-5/18-LED-BLUE	Blue LED. Permanent End Mount 18" Gooseneck. Automotive Wiring Kit
L-5/18-LED-3	End Mount 18" Gooseneck. Automotive Wiring Kit
L-5/18-LED-3-UV	End Mount 18" Gooseneck Automotive Wiring Kit
L-9/12-LED	LED 12" Gooseneck Automotive Lamp (Top Chassis Light, Wiring Kit)
L-9/12-LED-BLUE	Blue LED. Permanent Mount 12" Gooseneck. Automotive Wiring Kit
L-9/12-LED-3	Top Mount 12" Gooseneck. Automotive Wiring Kit
L-9/12-LED-3-UV	Top Mount 12" Gooseneck Automotive Wiring Kit
L-9/18-LED	LED 18" Gooseneck Automotive Lamp (Top Chassis Light, Wiring Kit)
L-9/18-LED-BLUE	Blue LED. Permanent Mount 18" Gooseneck. Automotive Wiring Kit
L-9/18-LED-3	Top Mount 18" Gooseneck. Automotive Wiring Kit
L-9/18-LED-3-UV	Top Mount 18" Gooseneck Automotive Wiring Kit

Automotive Lampsets - High Intensity Halogen

Model	Description
L-6/6	High-Intensity 6" Gooseneck Automotive Lamp (End Chassis Light, Detachable Cigarette Plug Adapter)
L-6/6-LED-BLUE	Blue LED. Permanent Mount 6" Gooseneck. Detachable Cigarette Plug Adapter
L-6/6-LED	LED. Permanent Mount 6" Gooseneck. Detachable Cigarette Plug Adapter
L-6/12	High-Intensity 12" Gooseneck Automotive Lamp (End Chassis Light, Detachable Cigarette Plug Adapter)
L-6/18	High-Intensity 18" Gooseneck Automotive Lamp (End Chassis Light, Detachable Cigarette Plug Adapter)
L-5/6	High-Intensity 6" Gooseneck Automotive Lamp (End Chassis Light, Wiring Kit)
L-5/6-LED-BLUE	Blue LED. Permanent End Mount 6" Gooseneck. Automotive Wiring Kit
L-5/6-LED	LED. Permanent End Mount 6" Gooseneck. Automotive Wiring Kit
L-5/12	High-Intensity 12" Gooseneck Automotive Lamp (End Chassis Light, Wiring Kit)
L-5/18	High-Intensity 18" Gooseneck Automotive Lamp (End Chassis Light, Wiring Kit)
L-9/6	High-Intensity 6" Gooseneck Automotive Lamp (Top Chassis Light, Wiring Kit)
LA-12-LED	LED 12" Lectern Detachable Flush Mount Gooseneck Lampset (U.S. Power Supply)
LA-12E-LED	LED 12" Detachable TNC Gooseneck Lectern Assembly with Euro Power Supply
LA-12E-HI	High Intensity 12" Gooseneck Lectern Assembly with Euro Power Supply
LA-12A-HI	High Intensity 12" Gooseneck Lectern Assembly. No Power Supply
LA-12-HI	High Intensity 12" Gooseneck Lectern Assembly with US Power Supply
L-9/6-LED-BLUE	Blue LED. Permanent Mount 6" Gooseneck. Automotive Wiring Kit
L-9/6-LED	LED. Permanent Mount 6" Gooseneck. Automotive Wiring Kit
L-9/12	High-Intensity 12" Gooseneck Automotive Lamp (Top Chassis Light, Wiring Kit)
L-9/18	High-Intensity 18" Gooseneck Automotive Lamp (Top Chassis Light, Wiring Kit)
STOWLITE	12V Automotive Lamp (Detachable Cigarette Plug Adapter)
TDM	Touch Dimmer
LCR-12-HI	High-Intensity 12" Utility Light
LCR-18-HI	High-Intensity 18" Utility Light

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Automotive Lampsets - LED

Model	Description
LCR-12-LED	LED 12" Utility Light
LCR-12-LED-USB	5-VOLT LED Utility light 12" gooseneck with on/off switch bottom mount USB Cable
LCR-18-END-USB	5-VOLT LED Utility light 18" gooseneck with on/off switch end mount USB Cable
LCR-18-LED	LED 18" Utility Light
LCR-18-LED-USB	5-VOLT LED Utility light 18" gooseneck with on/off switch bottom mount USB Cable
LCR-24-LED	LED 24" Utility Light
LCR-24-LED-USB	5-VOLT LED Utility light 24" gooseneck with on/off switch bottom mount USB Cable
LCR-24-END-USB	5-VOLT LED Utility light 24" gooseneck with on/off switch end mount USB Cable

Accessories - Spare Bulbs

The 1815 is cool and the Q5 is a gas

Model	Description
Q5	High-Intensity Halogen Bayonet Lamp (One Lamp)
1815	Low-Intensity Halogen Bayonet Lamp (One Lamp)

Battery Products - Light Set

Model	Description
CC-EB12A-LED	CC Lampset, 12" end mount gooseneck, bottom mount cord. No Power Supply.
CC-EB12E-LED	CC Lampset, 12" end mount gooseneck, bottom mount cord. Euro Power Supply.

Accessories - Mounting

What good is a light if you can't put it where you want it? We thought so too so we got busy and whacked together the following accessories that will clip, clamp, stick or set a Littlite wherever you need one.

Model	Description
CWB	Cast Weighted Base
HTC	High Tension Clamp
RAKIT	L-Series Mounting Bracket
SP	Stabilizer Plate for CWB
MB	Magnetic Base with Adhesive Tape
SM	Snap Mount (One pair)
PS	BNC Panel Socket
PS-T	TNC Panel Socket
MP	Mounting Plate
MP 2	Dual Mounting Plate
XLR-PS3	3-Pin XLR Panel Socket (Black)
XLR-PS4	4-Pin XLR Panel Socket (Black)

Accessories - Power Supply and Wiring

Model	Description
GXF-10	U.S. Power Supply
WYE	2 to 1 Adapter Cord

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Battery Products - Accessories

Model	Description
AN-DL12A-LED-SPOT	ANSER Spot Desk Light. 12" Gooseneck and Dimmer w/ Weighted Base. No power supply.

Accessories - Power Supply and Wiring

Model	Description
PYE	4 to 1 Adapter Cord
EXT	6' Extension Cable
FDB	Flat Display Mounting Bracket
EXT 2	Two-foot Extension cable for GXF-10 and EXF-10G
EXT 4	Four-foot Extension cable for GXF-10 and EXF-10G
LAD	2.1mm to Bare End Cable
LCR-12-END-USB	5-VOLT LED Utility light 12" gooseneck with on/off switch end mount USB Cable
GAD	Spade Lug Adapter Cable
BA	BNC Power Adapter Cable
CP-2	Cigarette Plug to 2.1 mm Connector Adapter
LK	Replacement Dimmer Knob for L-Series
LV	12-Volt Vehicle Wiring Kit
DM	Dimmer with "off" position
DM-LED	10-Watt Dimmer with Knob for LED lights - Not for use with Lampsets

Accessories - Hoods

Model	Description
HH	High Hood with O-Rings
HLK	Hook Locking Kit
HIC	High Intensity Conversion Kit
LX	X-Series Hood with O-Rings

Accessories - Miscellaneous

Model	Description
GPK	G-Series to Lampset Conversion Kit
GPK-T	T-Series to Lampset Conversion Kit
NVF-RED	Red Color Filter (3 Count)
NVF-BLUE	Blue Color Filter (3 Count)
NVF-CLEAR	Clear Color Filter (3 Count)
CF	Color Filter Kit-One Each Red, Blue, Clear (Pack of 3)
L-1	Replacement Chassis Assembly with Dimmer, BNC Connector
L-8	Replacement Chassis Assembly with Dimmer, TNC Connector
SC	Storage Clips for Detachable Goosenecks (1 pair)
XC	Storage Clip for X Series & automotive series goosenecks (single clip)
O-KIT	Spare High/Low Intensity O-Rings (12 count)
O-KIT-X	Spare X-Hood O-Rings (12 count)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

LDC / Multi Volt-Dimming LED Products - Dimmer Controllers

Model	Description
LDC-1	Littlite Dimmer Controller with End Out Cords
LDC-2	Littlite Dimmer Controller with Bottom Out Cords

-

Model	Description
ANSER-USB	Accessory Cable-2.1mm to USB to Power ANSER from USB Port
AN-TB12-LED	ANSER LAMPSET 12" top mounted Gooseneck/bottom mount power cord. US Power Supply.
AN-TB18-LED	ANSER LAMPSET 18" top mounted Gooseneck/bottom mount power cord. US Power Supply.
AN-TB24-LED	ANSER LAMPSET 24" top mounted Gooseneck/bottom mount power cord. US Power Supply.
AN-TB12A-LED	ANSER LAMPSET 12" top mounted Gooseneck/bottom mount power cord. No Power Supply.
AN-TB18A-LED	ANSER LAMPSET 18" top mounted Gooseneck/bottom mount power cord. No Power Supply.
AN-TB24A-LED	ANSER LAMPSET 24" top mounted Gooseneck/bottom mount power cord. No Power Supply.
AN-TB12E-LED	ANSER LAMPSET 12" top mounted Gooseneck/bottom mount power cord. Euro Power Supply.
AN-TB18E-LED	ANSER LAMPSET 18" top mounted Gooseneck/bottom mount power cord. Euro Power Supply.
AN-TB24E-LED	ANSER LAMPSET 24" top mounted Gooseneck/bottom mount power cord. Euro Power Supply.
AN-TB12-LED-SPOT	ANSER SPOT LAMPSET 12" top mounted Gooseneck/bottom mount power cord. US Power Supply.
AN-TB18-LED-SPOT	ANSER SPOT LAMPSET 18" top mounted Gooseneck/bottom mount power cord. US Power Supply.
AN-TB24-LED-SPOT	ANSER SPOT LAMPSET 24" top mounted Gooseneck/bottom mount power cord. US Power Supply.
AN-TB18A-LED-SPOT	ANSER SPOT LAMPSET 18" top mounted Gooseneck/bottom mount power cord. No Power Supply.
AN-TB24A-LED-SPOT	ANSER SPOT LAMPSET 24" top mounted Gooseneck/bottom mount power cord. No Power Supply.
AN-TB12E-LED-SPOT	ANSER SPOT LAMPSET 12" top mounted Gooseneck/bottom mount power cord. Euro Power Supply.
AN-TB18E-LED-SPOT	ANSER SPOT LAMPSET 18" top mounted Gooseneck/bottom mount power cord. Euro Power Supply.
AN-TB24E-LED-SPOT	ANSER SPOT LAMPSET 24" top mounted Gooseneck/bottom mount power cord. Euro Power Supply.
MP-III	Mounting Plate for Flush Mounting Littlite Lampset
AN-TE12A-LED	ANSER Desk Light. 12" Gooseneck and Dimmer integrated into chassis. No Power Supply.
AN-TE12A-LED-SPOT	ANSER Spot Lamp Set. 12" Gooseneck and Dimmer integrated into chassis. No power supply.
AN-TE18A-LED-SPOT	ANSER Spot Lamp Set. 18" Gooseneck and Dimmer integrated into chassis. No power supply.
AN-TE24A-LED	ANSER Desk Light. 24" Gooseneck and Dimmer integrated into chassis. No Power Supply.
AN-TE24A-LED-SPOT	ANSER Spot Lamp Set. 24" Gooseneck and Dimmer integrated into chassis. No power supply.
AN-TE12-LED	ANSER Desk Light. 12" Gooseneck and Dimmer integrated into chassis Power Supply included.
AN-TE12-LED-SPOT	ANSER Spot Lamp Set. 12" Gooseneck and Dimmer integrated into chassis. US Power Supply
AN-TE18-LED	ANSER Desk Light. 18" Gooseneck and Dimmer integrated into chassis Power Supply included.
AN-TE18-LED-SPOT	ANSER Spot Lamp Set. 18" Gooseneck and Dimmer integrated into chassis. US Power Supply
AN-TE24-LED	ANSER Desk Light. 24" Gooseneck and Dimmer integrated into chassis Power Supply included.
AN-TE24-LED-SPOT	ANSER Spot Lamp Set. 24" Gooseneck and Dimmer integrated into chassis. US Power Supply
AN-TE12E-LED	ANSER Desk Light. 12" Gooseneck and Dimmer integrated into chassis. Euro Power Supply included.
AN-TE12E-LED-SPOT	ANSER Spot Lamp Set. 12" Gooseneck and Dimmer integrated into chassis. Euro power supply
AN-TE18E-LED	ANSER Desk Light. 18" Gooseneck and Dimmer integrated into chassis. Euro Power Supply included.
AN-TE18E-LED-SPOT	ANSER Spot Lamp Set. 18" Gooseneck and Dimmer integrated into chassis. Euro power supply
AN-TE24E-LED	ANSER Desk Light. 24" Gooseneck and Dimmer integrated into chassis. Euro Power Supply included.
AN-TE24E-LED-SPOT	ANSER Spot Lamp Set. 24" Gooseneck and Dimmer integrated into chassis. Euro power supply
AN-DL12-LED	ANSER Desk Light. 12" Gooseneck and Dimmer integrated into Weighted Base. Power Supply included.
AN-DL18A-LED-SPOT	ANSER Spot Desk Light. 18" Gooseneck and Dimmer w/ Weighted Base. No power supply.
AN-DL12-LED-SPOT	ANSER Spot Desk Light. 12" Gooseneck and Dimmer w/ Weighted Base. US Power Supply

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
AN-DL12-LED-3W-DUAL	ANSER DUAL Desk Light. Two 12" Goosenecks and Dimmer w/ Weighted Base. US Power Supply.
AN-DL12-LED-SPOT-3W-DUAL	ANSER DUAL Desk Light. Spot Version. Two 12" Goosenecks and Dimmer w/ Weighted Base. US Power Supply.
AN-DL18-LED	ANSER Desk Light. 18" Gooseneck and Dimmer integrated into Weighted Base. Power Supply included.
AN-DL24A-LED-SPOT	ANSER Spot Desk Light. 24" Gooseneck and Dimmer w/ Weighted Base. No power supply.
AN-DL18-LED-SPOT	ANSER Spot Desk Light. 18" Gooseneck and Dimmer w/ Weighted Base. US Power Supply
AN-DL18-LED-3W-DUAL	ANSER DUAL Desk Light. Two 18" Goosenecks and Dimmer w/ Weighted Base. US Power Supply.
AN-DL18-LED-SPOT-3W-DUAL	ANSER DUAL Desk Light. Spot Version. Two 18" Goosenecks and Dimmer w/ Weighted Base. US Power Supply.
AN-DL24-LED	ANSER Desk Light. 24" Gooseneck and Dimmer integrated into Weighted Base. Power Supply included.
AN-DL24-LED-SPOT	ANSER Spot Desk Light. 24" Gooseneck and Dimmer w/ Weighted Base. US Power Supply
AN-EE12-LED	ANSER LAMPSET 12" end mounted Gooseneck/end mount power cord. US Power Supply.
AN-EE18-LED	ANSER LAMPSET 18" end mounted Gooseneck/end mount power cord. US Power Supply.
AN-EE24-LED	ANSER LAMPSET 24" end mounted Gooseneck/end mount power cord. US Power Supply.
AN-EE12A-LED	ANSER LAMPSET 12" end mounted Gooseneck/end mount power cord. No Power Supply.
AN-EE18A-LED	ANSER LAMPSET 18" end mounted Gooseneck/end mount power cord. No Power Supply.
AN-EE24A-LED	ANSER LAMPSET 24" end mounted Gooseneck/end mount power cord. No Power Supply.
AN-EE12E-LED	ANSER LAMPSET 12" end mounted Gooseneck/end mount power cord. Euro Power Supply.
AN-EE18E-LED	ANSER LAMPSET 18" end mounted Gooseneck/end mount power cord. Euro Power Supply.
AN-EE24E-LED	ANSER LAMPSET 24" end mounted Gooseneck/end mount power cord. Euro Power Supply.
AN-EE12-LED-SPOT	ANSER SPOT LAMPSET 12" end mounted Gooseneck/end mount power cord. US Power Supply.
AN-EE18-LED-SPOT	ANSER SPOT LAMPSET 18" end mounted Gooseneck/end mount power cord. US Power Supply.
AN-EE24-LED-SPOT	ANSER SPOT LAMPSET 24" end mounted Gooseneck/end mount power cord. US Power Supply.
AN-EE12A-LED-SPOT	ANSER SPOT LAMPSET 12" end mounted Gooseneck/end mount power cord. No Power Supply.
AN-EE18A-LED-SPOT	ANSER SPOT LAMPSET 18" end mounted Gooseneck/end mount power cord. No Power Supply.
AN-EE24A-LED-SPOT	ANSER SPOT LAMPSET 24" end mounted Gooseneck/end mount power cord. No Power Supply.
AN-EE12E-LED-SPOT	ANSER SPOT LAMPSET 12" end mounted Gooseneck/end mount power cord. Euro Power Supply.
AN-EE18E-LED-SPOT	ANSER SPOT LAMPSET 18" end mounted Gooseneck/end mount power cord. Euro Power Supply.
AN-EE24E-LED-SPOT	ANSER SPOT LAMPSET 24" end mounted Gooseneck/end mount power cord. Euro Power Supply.
AN-DL12E-LED	ANSER Desk Light. 12" Gooseneck and Dimmer integrated into Weighted Base. Euro Power Supply included.
AN-DL12E-LED-SPOT	ANSER Spot Desk Light. 12" Gooseneck and Dimmer w/ Weighted Base. Euro Power Supply
AN-DL18E-LED	ANSER Desk Light. 18" Gooseneck and Dimmer integrated into Weighted Base. Euro Power Supply included.
AN-DL18E-LED-SPOT	ANSER Spot Desk Light. 18" Gooseneck and Dimmer w/ Weighted Base. Euro Power Supply
AN-DL24E-LED	ANSER Desk Light. 24" Gooseneck and Dimmer integrated into Weighted Base. Euro Power Supply included.
AN-DL24E-LED-SPOT	ANSER Spot Desk Light. 24" Gooseneck and Dimmer w/ Weighted Base. Euro Power Supply

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz