



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Retail Pricing
Pricing subject to change without notice.

Permanently Attached Gooseneck Lampset - LED

Model	Description
L-12-LED	LED 12" Permanently Attached Gooseneck Lampset (U.S. Power Supply) - Three-way rotary switch (white light, red light, off) - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-12-LED-BLUE	Blue LED Lampset. 12" Gooseneck. Mounting Kit. Power Supply
L-12-LED-UV365	UV LED Lampset. 12" Gooseneck. Mounting Kit. US Power Supply.
L-12-LED-3	12" Gooseneck. Mounting Kit. Power Supply
L-12A-LED	LED 12" Permanently Attached Gooseneck Lampset (No Power Supply) - Three-way rotary switch (white light, red light, off) - 12" cord with 2.1mm socket
L-12A-LED-BLUE	Blue LED Lampset. 12" Gooseneck. Mounting Kit. No Power Supply
L-12A-LED-3	12" Gooseneck. Mounting Kit. No Power Supply
L-12A-LED-3-UV	12" Gooseneck Mounting Kit No Power Supply
L-18-LED	LED 18" Permanently Attached Gooseneck Lampset (U.S. Power Supply) - Three-way rotary switch (white light, red light, off) - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-18-LED-BLUE	Blue LED Lampset. 18" Gooseneck. Mounting Kit. Power Supply
L-18-LED-UV365	UV LED Lampset. 18" Gooseneck. Mounting Kit. US Power Supply.
L-18-LED-3	18" Gooseneck. Mounting Kit. Power Supply
L-18A-LED	LED 18" Permanently Attached Gooseneck Lampset (No Power Supply) - Three-way rotary switch (white light, red light, off) - 12" cord with 2.1mm socket
L-18A-LED-BLUE	Blue LED Lampset. 18" Gooseneck. Mounting Kit. No Power Supply
L-18A-LED-3	18" Gooseneck. Mounting Kit. No Power Supply
L-18A-LED-3-UV	18" Gooseneck Mounting Kit No Power Supply

Permanently Attached Gooseneck Lampset - High Intensity Halogen

Model	Description
L-3/6	High Intensity 6" Permanently Attached Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
L-3/6A	High Intensity 6" Permanently Attached Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket
L-3/12	High Intensity 12" Permanently Attached Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-3/12A	High Intensity 12" Permanently Attached Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket
L-3/18	High Intensity 18" Permanently Attached Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-3/18A	High Intensity 18" Permanently Attached Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket

Permanently Attached Gooseneck Lampset - Low Intensity Halogen

Model	Description
L-2/6	Low Intensity 6" Permanently Attached Gooseneck Lampset (U.S. Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-2/6A	Low Intensity 6" Permanently Attached Gooseneck Lampset (No Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket
L-2/12	Low Intensity 12" Permanently Attached Gooseneck Lampset (U.S. Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-2/12A	Low Intensity 12" Permanently Attached Gooseneck Lampset (No Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket
L-2/18	Low Intensity 18" Permanently Attached Gooseneck Lampset (U.S. Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-2/18A	Low Intensity 18" Permanently Attached Gooseneck Lampset (No Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket

Permanently Attached End-Mount Gooseneck Lampset - LED

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
L-7/12-LED	LED 12" Permanently Attached End-Mount Gooseneck Lampset (U.S. Power Supply) - End-mount enables the gooseneck to lay flat when not in use - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-7/12-LED-BLUE	Blue LED Lampset. 12" Gooseneck. Mounting Kit. Power Supply
L-7/12-LED-3	12" End Mount Gooseneck. Mounting Kit. Power Supply
L-7/12-LED-3-UV	12" End Mount Gooseneck Mounting Kit Power Supply
L-7/12A-LED	LED 12" Permanently Attached End-Mount Gooseneck Lampset (No Power Supply) - End-mount enables the gooseneck to lay flat when not in use - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-7/12A-LED-BLUE	Blue LED Lampset. 12" Gooseneck. Mounting Kit. No Power Supply
L-7/12A-LED-3	12" End Mount Gooseneck. Mounting Kit. No Power Supply
L-7/12A-LED-3-UV	12" End Mount Gooseneck Mounting Kit No Power Supply
L-7/18-LED	LED 18" Permanently Attached End-Mount Gooseneck Lampset (U.S. Power Supply) - End-mount enables the gooseneck to lay flat when not in use - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-7/18-LED-BLUE	Blue LED Lampset. 18" Gooseneck. Mounting Kit. Power Supply
L-7/18-LED-3	18" End Mount Gooseneck. Mounting Kit. Power Supply
L-7/18-LED-3-UV	18" End Mount Gooseneck Mounting Kit Power Supply

Desk Lights - LED

Model	Description
LW-12-LED	LED 12" Desk Light with Dimmer (U.S. Power Supply) - Colorfade dimmer provides smooth dimming through the red mode, transitioning into the white mode allowing the user to choose their preferred blend of red and white light for their lighting applications
LW-18-LED	LED 18" Desk Light with Dimmer (U.S. Power Supply) - Colorfade dimmer provides smooth dimming through the red mode, transitioning into the white mode allowing the user to choose their preferred blend of red and white light for their lighting applications
LW-24-LED	LED Desk Light with Dimmer. 24" Gooseneck. US Power Supply.
LW-24E-LED	LED Desk Light with Dimmer. 24" Gooseneck. Euro Power Supply.

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Desk Lights - High Intensity Halogen

Model	Description
LW-12-HI	High Intensity 12" Desk Light with Dimmer (U.S. Power Supply) - 5-Watt Halogen Light
LW-18-HI	High Intensity 18" Desk Light with Dimmer (U.S. Power Supply) - 5-Watt Halogen Light

Permanently Attached End-Mount Gooseneck Lampset - LED

Model	Description
L-7/18A-LED	LED 18" Permanently Attached End-Mount Gooseneck Lampset (No Power Supply) - End-mount enables the gooseneck to lay flat when not in use - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-7/18A-LED-BLUE	Blue LED Lampset. 18" Gooseneck. Mounting Kit. No Power Supply
L-7/18A-LED-3	18" End Mount Gooseneck. Mounting Kit. No Power Supply
L-7/18A-LED-3-UV	18" End Mount Gooseneck Mounting Kit No Power Supply

Permanently Attached End-Mount Gooseneck Lampset - High Intensity Halogen

Model	Description
L-7/6	High Intensity 6" Permanently Attached End-Mount Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - End-mount enables the gooseneck to lay flat when not in use - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-7/6A	High Intensity 6" Permanently Attached End-Mount Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - End-mount enables the gooseneck to lay flat when not in use - 12" cord with 2.1mm socket
L-7/12	High Intensity 12" Permanently Attached End-Mount Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - End-mount enables the gooseneck to lay flat when not in use - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-7/12A	High Intensity 12" Permanently Attached End-Mount Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - End-mount enables the gooseneck to lay flat when not in use - 12" cord with 2.1mm socket
L-7/18	High Intensity 18" Permanently Attached End-Mount Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - End-mount enables the gooseneck to lay flat when not in use - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
L-7/18A	High Intensity 18" Permanently Attached End-Mount Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - End-mount enables the gooseneck to lay flat when not in use - 12" cord with 2.1mm socket

Lectern Permanently Attached Flush Mount Gooseneck - LED

Model	Description
LA-18P-LED	LED 18" Lectern Permanently Attached Flush Mount Gooseneck Lampset (U.S. Power Supply) - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
LA-24P-LED	LED 24" Attached Gooseneck Lectern Assembly with Power Supply.
LA-24PA-LED	LED 24" Attached Gooseneck Lectern Assembly. No Power Supply.
LA-24PE-LED	LED 24" Attached Gooseneck Lectern Assembly. Euro Power Supply.
LA-18PA-LED	LED 18" Lectern Permanently Attached Flush Mount Gooseneck Lampset (No Power Supply) - 12" cord with 2.1mm socket

Lectern Permanently Attached Flush Mount Gooseneck - High Intensity Halogen

Model	Description
LA-18P-HI	High Intensity 18" Lectern Permanently Attached Flush Mount Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
LA-18PA-HI	High Intensity 18" Lectern Permanently Attached Flush Mount Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket

Lectern Detachable Flush Mount Gooseneck Lampset - LED

Model	Description
LA-18-LED	LED 18" Lectern Detachable Flush Mount Gooseneck Lampset (U.S. Power Supply) - T-series gooseneck is detachable via a TNC connector and features a locking hood to prevent loss - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
LA-18A-LED	LED 18" Lectern Detachable Attached Flush Mount Gooseneck Lampset (No Power Supply) - T-series gooseneck is detachable via a TNC connector and features a locking hood to prevent loss - 12" cord with 2.1mm socket

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Lectern Detachable Flush Mount Gooseneck Lampset - High Intensity Halogen

Model	Description
LA-18-HI	High Intensity 18" Lectern Detachable Flush Mount Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - T-series gooseneck is detachable via a TNC connector and features a locking hood to prevent loss - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
LA-18A-HI	High Intensity 18" Lectern Detachable Flush Mount Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - T-series gooseneck is detachable via a TNC connector and features a locking hood to prevent loss - 12" cord with 2.1mm socket

Lectern Permanently Attached Flush Mount Gooseneck - High Intensity Halogen

Model	Description
IS#2	High Intensity 18" Permanently Attached Gooseneck Lampset with Bottom Mount Cordset(U.S. Power Supply) - 5-Watt Halogen Light - Bottom mount cord for a clean, cord free installation - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
IS#2A-LED-BLUE	L-18-LED-BLUE with Bottom Mount Cordset. No power supply.
IS#2-E-LED	L-18-LED with Bottom Mount Cordset. Euro power supply.
IS#2A-LED	L-18-LED with Bottom Mount Cordset. No power supply.
IS#2-E	L-3/18 with Bottom Mount Cordset. Euro power supply.
IS#2A	L-3/18 with Bottom Mount Cordset. No power supply.
IS#2A-LED-3	L-18-LED-3 with Bottom Mount Cordset. No Power Supply.
IS#2E-LED-3	L-18-LED-3 with Bottom Mount Cordset. Euro Power Supply.
IS#2A-LED-3-UV	L-18-LED-3-UV with Bottom Mount Cordset No Power Supply
IS#2E-LED-3-UV	L-18-LED-3-UV with Bottom Mount Cordset Euro Power Supply
IS#3	High Intensity 12" Permanently Attached Gooseneck Lampset with Bottom Mount Cordset(U.S. Power Supply) - 5-Watt Halogen Light - Bottom mount cord for a clean, cord free installation - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
IS#3A-LED-BLUE	L-12-LED-BLUE with Bottom Mount Cordset. No power supply.
IS#3-E-LED	L-12-LED with Bottom Mount Cordset. Euro power supply.
IS#3A-LED	L-12-LED with Bottom Mount Cordset. No power supply.
IS#3-E	L-3/12 with Bottom Mount Cordset. Euro power supply.
IS#3A	L-3/12 with Bottom Mount Cordset. No power supply.

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
IS#3A-LED-3	L-12-LED-3 with Bottom Mount Cordset. No Power Supply.
IS#3E-LED-3	L-12-LED-3 with Bottom Mount Cordset. Euro Power Supply.
IS#3A-LED-3-UV	L-12-LED-3-UV with Bottom Mount Cordset No Power Supply
IS#3E-LED-3-UV	L-12-LED-3-UV with Bottom Mount Cordset Euro Power Supply

Lectern Permanently Attached Flush Mount Gooseneck - LED

Model	Description
IS#2-LED	LED 18" Permanently Attached Gooseneck Lampset with Bottom Mount Cordset(U.S. Power Supply) <ul style="list-style-type: none"> - Three-way rotary switch (white light, red light, off) - Bottom mount cord for a clean, cord free installation - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
IS#2-LED-BLUE	L-18-LED-BLUE with Bottom Mount Cordset. US Power Supply.
IS#2-LED-UV365	L-18-LED with UV LED Bottom Mount Cordset. US Power Supply.
IS#2-LED-3	L-18-LED-3 with Bottom Mount Cordset. US Power Supply.
IS#3-LED	LED 12" Permanently Attached Gooseneck Lampset with Bottom Mount Cordset(U.S. Power Supply) <ul style="list-style-type: none"> - Three-way rotary switch (white light, red light, off) - Bottom mount cord for a clean, cord free installation - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
IS#3-LED-BLUE	L-12-LED-BLUE with Bottom Mount Cordset. US Power Supply.
IS#3-LED-UV365	L-12-LED with UV LED Bottom Mount Cordset. US Power Supply.
IS#3-LED-3	L-12-LED-3 with Bottom Mount Cordset. US Power Supply.

Music Stand Lights - LED

Model	Description
MS-12-LED	LED 12" Music Stand Gooseneck Lampset (U.S. Power Supply) <ul style="list-style-type: none"> - Works on any standard music stand with a flat edge such as the standard Manhasset stand. Friction mount on the side or top of the stand. - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord - Includes red filter
MS-12A-LED	LED 12" Music Stand Gooseneck Lampset (No Power Supply) <ul style="list-style-type: none"> - Works on any standard music stand with a flat edge such as the standard Manhasset stand. Friction mount on the side or top of the stand. - 12" cord with 2.1mm socket - Includes red filter

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
MS-18-LED	LED 18" Music Stand Gooseneck Lampset (U.S. Power Supply) <ul style="list-style-type: none"> - Works on any standard music stand with a flat edge such as the standard Manhasset stand. Friction mount on the side or top of the stand. - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord - Includes red filter
MS2-12-LED	12" LED Gooseneck Music Stand Light with Clamp Arm & Touch Dimmer. US Power Supply.
MS2-18-LED	18" LED Gooseneck Music Stand Light with Clamp Arm & Touch Dimmer. US Power Supply.
MS2-12E-LED	12" LED Gooseneck Music Stand Light with Clamp Arm & Touch Dimmer. Euro Power Supply.
MS2-18E-LED	18" LED Gooseneck Music Stand Light with Clamp Arm & Touch Dimmer. Euro Power Supply.
MS-18A-LED	LED 18" Music Stand Gooseneck Lampset (No Power Supply) <ul style="list-style-type: none"> - Works on any standard music stand with a flat edge such as the standard Manhasset stand. Friction mount on the side or top of the stand. - 12" cord with 2.1mm socket - Includes red filter

Music Stand Lights - High Intensity Halogen

Model	Description
MS-12-HI	High Intensity 12" Music Stand Gooseneck Lampset (U.S. Power Supply) <ul style="list-style-type: none"> - 5-Watt Halogen Light - Works on any standard music stand with a flat edge such as the standard Manhasset stand. Friction mount on the side or top of the stand. - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
MS-12A-HI	High Intensity 12" Music Stand Gooseneck Lampset (No Power Supply) <ul style="list-style-type: none"> - 5-Watt Halogen Light - Works on any standard music stand with a flat edge such as the standard Manhasset stand. Friction mount on the side or top of the stand. - 12" cord with 2.1mm socket
MS-18-HI	High Intensity 18" Music Stand Gooseneck Lampset (U.S. Power Supply) <ul style="list-style-type: none"> - 5-Watt Halogen Light - Works on any standard music stand with a flat edge such as the standard Manhasset stand. Friction mount on the side or top of the stand. - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
MS-18A-HI	High Intensity 18" Music Stand Gooseneck Lampset (No Power Supply) <ul style="list-style-type: none"> - 5-Watt Halogen Light - Works on any standard music stand with a flat edge such as the standard Manhasset stand. Friction mount on the side or top of the stand. - 12" cord with 2.1mm socket

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

BNC Detachable Gooseneck Lampset - High Intensity Halogen

Model	Description
L-4/6	High Intensity 6" Detachable BNC Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-4/6A	High Intensity 6" Detachable BNC Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket
L-4/12	High Intensity 12" Detachable BNC Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-4/12A	High Intensity 12" Detachable BNC Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket
L-4/18	High Intensity 18" Detachable BNC Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-4/18A	High Intensity 18" Detachable BNC Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket

BNC Detachable Gooseneck Lampset - Low Intensity Halogen

Model	Description
L-1/6	Low Intensity 6" Detachable BNC Gooseneck Lampset (U.S. Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-1/6A	Low Intensity 6" Detachable BNC Gooseneck Lampset (No Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket
L-1/12	Low Intensity 12" Detachable BNC Gooseneck Lampset (U.S. Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-1/12A	Low Intensity 12" Detachable BNC Gooseneck Lampset (No Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket
L-1/18	Low Intensity 18" Detachable BNC Gooseneck Lampset (U.S. Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
L-1/18A	Low Intensity 18" Detachable BNC Gooseneck Lampset (No Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket

TNC Detachable Gooseneck Lampset - High Intensity Halogen

Model	Description
L-8/6-HI	High Intensity 6" Detachable TNC Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-8/6A-HI	High Intensity 6" Detachable TNC Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket
L-8/12-HI	High Intensity 12" Detachable TNC Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-8/12A-HI	High Intensity 12" Detachable TNC Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket
L-8/18-HI	High Intensity 18" Detachable TNC Gooseneck Lampset (U.S. Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-8/18A-HI	High Intensity 18" Detachable TNC Gooseneck Lampset (No Power Supply) - 5-Watt Halogen Light - 12" cord with 2.1mm socket

TNC Detachable Gooseneck Lampset - Low Intensity Halogen

Model	Description
L-8/6	Low Intensity 6" Detachable TNC Gooseneck Lampset (U.S. Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-8/6A	Low Intensity 6" Detachable TNC Gooseneck Lampset (No Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket
L-8/12	Low Intensity 12" Detachable TNC Gooseneck Lampset (U.S. Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
L-8/12A	Low Intensity 12" Detachable TNC Gooseneck Lampset (No Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket
L-8/18	Low Intensity 18" Detachable TNC Gooseneck Lampset (U.S. Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket; Matching Power Supply comes with 6' cord
L-8/18A	Low Intensity 18" Detachable TNC Gooseneck Lampset (No Power Supply) - 2.4-Watt Halogen Light - 12" cord with 2.1mm socket

Individual Goosenecks (Permanent Mount Lamp) - LED

Model	Description
12P-LED	LED 12" Gooseneck Lamp w/ Threaded Connector - For custom installation use
18P-LED	LED 18" Gooseneck Lamp w/ Threaded Connector - For custom installation use

Individual Goosenecks (Permanent Mount Lamp) - High Intensity Halogen

Model	Description
6P-HI	High Intensity 6" Gooseneck Lamp w/ Threaded Connector - For custom installation use - 5-Watt Halogen Light
12P-HI	High Intensity 12" Gooseneck Lamp w/ Threaded Connector - For custom installation use - 5-Watt Halogen Light
18P-HI	High Intensity 18" Gooseneck Lamp w/ Threaded Connector - For custom installation use - 5-Watt Halogen Light

Individual Goosenecks (Permanent Mount Lamp) - Low Intensity Halogen

Model	Description
6P	Low Intensity 6" Gooseneck Lamp w/ Threaded Connector - For custom installation use - 2.4-Watt Halogen Light
12P	Low Intensity 12" Gooseneck Lamp w/ Threaded Connector - For custom installation use - 2.4-Watt Halogen Light

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
18P	Low Intensity 18" Gooseneck Lamp w/ Threaded Connector - For custom installation use - 2.4-Watt Halogen Light

Individual Goosenecks (BNC Mount Lamp) - LED

Model	Description
12G-LED	LED 12" Gooseneck LED Lamp w/ BNC Connector - Note: Consoles require a dedicated 12-volt task light connector for use of this product
18G-LED	LED 18" Gooseneck LED Lamp w/ BNC Connector - Note: Consoles require a dedicated 12-volt task light connector for use of this product

Individual Goosenecks (BNC Mount Lamp) - High Intensity Halogen

Model	Description
6G-HI	High Intensity 6" Gooseneck Lamp w/ BNC Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12G-HI	High Intensity 12" Gooseneck Lamp w/ BNC Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18G-HI	High Intensity 18" Gooseneck Lamp w/ BNC Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Individual Goosenecks (BNC Mount Lamp) - Low Intensity Halogen

Model	Description
6G	Low Intensity 6" Gooseneck Lamp w/ BNC Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12G	Low Intensity 12" Gooseneck Lamp w/ BNC Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18G	Low Intensity 18" Gooseneck Lamp w/ BNC Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Individual Goosenecks (TNC Mount Lamp) - LED

Model	Description
12T-LED	LED 12" Gooseneck Lamp w/ TNC Connector - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18T-LED	LED 18" Gooseneck Lamp w/ TNC Connector - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Individual Goosenecks (TNC Mount Lamp) - High Intensity Halogen

Model	Description
6T-HI	High Intensity 6" Gooseneck Lamp w/ TNC Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12T-HI	High Intensity 12" Gooseneck Lamp w/ TNC Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18T-HI	High Intensity 18" Gooseneck Lamp w/ TNC Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Individual Goosenecks (TNC Mount Lamp) - Low Intensity Halogen

Model	Description
6T	Low Intensity 6" Gooseneck Lamp w/ TNC Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12T	Low Intensity 12" Gooseneck Lamp w/ TNC Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18T	Low Intensity 18" Gooseneck Lamp w/ TNC Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Individual Goosenecks (3-Pin XLR Mount Lamp) - LED

Model	Description
12X-LED	LED 12" Gooseneck Lamp w/ 3-Pin XLR Connector - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12X-LED-NA	12" Gen V LED w/LLX Barrel/Dimmer and US power supply
12X-LED-NA-USB	12" 5-VOLT LED w/LLX Barrel/Dimmer and USB Cable

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
18X-LED	LED 18" Gooseneck Lamp w/ 3-Pin XLR Connector - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
CC-EE12E-LED	CC Lampset, 12" end mount gooseneck, end mount cord. Euro power supply included.
CC-TE18E-LED	CC Lampset, 18" top mount gooseneck, end mount cord. Euro power supply included.
CC-EB18-LED	CC Lampset, 18" end mount gooseneck, bottom mount cord. Power supply included.
CC-TE12E-LED	CC Lampset, 12" top mount gooseneck, end mount cord. Euro power supply included.
CC-EB12-LED	CC Lampset, 12" end mount gooseneck, bottom mount cord. Power supply included.
CC-TB18-LED	CC Lampset, 18" top mount gooseneck, bottom mount cord. Power supply included.
CC-TB12-LED	CC Lampset, 12" top mount gooseneck, bottom mount cord. Power supply included.
CC-EE18E-LED	CC Lampset, 18" end mount gooseneck, end mount cord. Euro power supply included.
CC-EE18-LED	CC Lampset, 18" end mount gooseneck, end mount cord. Power supply included.
CC-TE18-LED	CC Lampset, 18" top mount gooseneck, end mount cord. Power supply included.
CC-EB18-LED-AW	CC Lampset, 18" end mount gooseneck, bottom mount cord. Automotive Wiring.
CC-TB12-LED-AW	CC Lampset, 12" top mount gooseneck, bottom mount cord. Automotive Wiring.
CC-TE18A-LED	CC Lampset, 18" top mount gooseneck, end mount cord. No power supply.
CC-EE12A-LED	CC Lampset, 12" end mount gooseneck, end mount cord. No power supply included.
CC-EB6-LED-AW	CC Lampset, 6" end mount gooseneck, bottom mount cord. Automotive Wiring.
CC-EE18A-LED	CC Lampset, 18" end mount gooseneck, end mount cord. No power supply included.
CC-EB12-LED-AW	CC Lampset, 12" end mount gooseneck, bottom mount cord. Automotive Wiring.
CC-TE12-LED	CC Lampset, 12" top mount gooseneck, end mount cord. Power supply included.
CC-TB18-LED-AW	CC Lampset, 18" top mount gooseneck, bottom mount cord. Automotive Wiring.
CC-TE12A-LED	CC Lampset, 12" top mount gooseneck, end mount cord. No power supply.
FL-18X-LED	18" GEN V LED WITH COLLAPSABLE FLOOR STAND TRIPOD. DIMMER AND POWER SUPPLY.
18X-LED-MIC	18" GEN V LED with MIC STAND ADAPTER. DIMMER AND POWER SUPPLY.
18X-LED-NA	18" GEN V LED WITH LLX BARREL/DIMMER AND POWER SUPPLY
CC-TB6-LED-AW	CC Lampset, 6" top mount gooseneck, bottom mount cord. Automotive Wiring.
CC-EE12-LED	CC Lampset, 12" end mount gooseneck, end mount cord. Power supply included.

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
CC-TB18E-LED	CC Lampset, 18" top mount gooseneck, bottom mount cord. Euro power supply included.
CC-TB18A-LED	CC Lampset, 18" top mount gooseneck, bottom mount cord. No power supply included.
CC-TB12E-LED	CC Lampset, 12" top mount gooseneck, bottom mount cord. Euro power supply included.
CC-TB12A-LED	CC Lampset, 12" top mount gooseneck, bottom mount cord. No power supply included.
18X-LED-NA-USB	18" 5-VOLT LED w/LLX Barrel/Dimmer and USB Cable
CC-EB18A-LED	CC Lampset, 18" end mount gooseneck, bottom mount cord. No Power Supply.
CC-EB18E-LED	CC Lampset, 18" end mount gooseneck, bottom mount cord. Euro Power Supply.

Individual Goosenecks (3-Pin XLR Mount Lamp) - High Intensity Halogen

Model	Description
6X-HI	High Intensity 6" Gooseneck Lamp w/ 3-Pin XLR Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12X-HI	High Intensity 12" Gooseneck Lamp w/ 3-Pin XLR Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18X-HI	High Intensity 18" Gooseneck Lamp w/ 3-Pin XLR Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Individual Goosenecks (3-Pin XLR Mount Lamp) - Low Intensity Halogen

Model	Description
6X	Low Intensity 6" Gooseneck Lamp w/ 3-Pin XLR Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12X	Low Intensity 12" Gooseneck Lamp w/ 3-Pin XLR Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18X	Low Intensity 18" Gooseneck Lamp w/ 3-Pin XLR Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Individual Goosenecks (3-Pin Right Angle XLR Mount) - LED

Model	Description
12XR-LED	LED 12" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12XR-LED-NA	12" Gen V LED w/ Right Angle LLX Barrel/Dimmer and US power supply
12XR-LED-NA-USB	12" 5-VOLT LED w/ Right Angle LLX Barrel/Dimmer and USB Cable
18XR-LED	LED 18" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18XR-LED-NA	18" Gen V LED w/ Right Angle LLX Barrel/Dimmer and US power supply
18XR-LED-NA-USB	18" 5-VOLT LED w/ Right Angle LLX Barrel/Dimmer and USB Cable
24X-4-LED-180	LED, 24" Gooseneck, 4-PIN XLR Connector-(Midas Venice)
24X-4-LED	LED, 24" Gooseneck, 4-PIN XLR Connector
24X-LED	LED 24" Gooseneck, 3-PIN XLR Connector
24XR-LED	LED, 24" Gooseneck, 3-PIN, Right Angle XLR Connector
24XR-4-LED	LED, 24" Gooseneck, 4-PIN, Right Angle XLR Connector
24XR-4-LED-ML	24" 4 Pin XLR LED for Midas Pro2 Left side.
24XR-4-LED-MR	24" 4 Pin XLR LED for Midas Pro2 Right side.
24XR-4-LED-M32	LED 24" Gooseneck 4 Pin Right Angle XLR Connector for Midas 32 Console

Individual Goosenecks (3-Pin Right Angle XLR Mount) - High Intensity Halogen

Model	Description
6XR-HI	High Intensity 6" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12XR-HI	High Intensity 12" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18XR-HI	High Intensity 18" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Individual Goosenecks (3-Pin Right Angle XLR Mount) - Low Intensity Halogen

Model	Description
6XR	Low Intensity 6" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12XR	Low Intensity 12" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18XR	Low Intensity 18" Gooseneck Lamp w/ 3-Pin Right Angle XLR Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Individual Goosenecks (4-Pin XLR Mount Lamp) - LED

Model	Description
12X-4-LED	LED 12" Gooseneck Lamp w/ 4-Pin XLR Connector - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12X-4-LED-180	LED 12" Gooseneck Lamp w/ 4-Pin XLR Connector (for Midas Venice) - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18X-4-LED	LED 18" Gooseneck Lamp w/ 4-Pin XLR Connector - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18X-4-LED-180	LED 18" Gooseneck Lamp w/ 4-Pin XLR Connector, Rotated 180-degrees (for Midas Venice, Behringer X32) - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Individual Goosenecks (4-Pin XLR Mount Lamp) - High Intensity Halogen

Model	Description
6X-HI-4	High Intensity 6" Gooseneck Lamp w/ 4-Pin XLR Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12X-HI-4	High Intensity 12" Gooseneck Lamp w/ 4-Pin XLR Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18X-HI-4	High Intensity 18" Gooseneck Lamp w/ 4-Pin XLR Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Individual Goosenecks (4-Pin XLR Mount Lamp) - Low Intensity Halogen

Model	Description
6X-4	Low Intensity 6" Gooseneck Lamp w/ 4-Pin XLR Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12X-4	Low Intensity 12" Gooseneck Lamp w/ 4-Pin XLR Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18X-4	Low Intensity 18" Gooseneck Lamp w/ 4-Pin XLR Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Individual Goosenecks (4-Pin Right Angle XLR Mount) - LED

Model	Description
12XR-4-LED	LED 12" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18XR-4-LED	LED 18" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
PRO2-LED SET	SPECIALLY PRICED LED SET FOR MIDAS PRO2
18XR-4-LED-MR	18" 4-PIN XLR LED-MIDAS PRO2C. PRO2 RIGHT SIDE
18XR-4-LED-ML	18" 4-PIN XLR LED-MIDAS PRO2 LEFT SIDE
18XR-4-LED-M32	LED 18" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector (Midas M32, Behringer X32 COMPACT)

Individual Goosenecks (4-Pin Right Angle XLR Mount) - High Intensity Halogen

Model	Description
6XR-HI-4	High Intensity 6" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12XR-HI-4	High Intensity 12" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18XR-HI-4	High Intensity 18" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector - 5-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Individual Goosenecks (4-Pin Right Angle XLR Mount) - LED

Model	Description
18XR-HI-4-ML	18" 4-PIN XLR HI INTENSITY MIDAS PRO2 LEFT SIDE
18XR-HI-4-MR	18" 4-PIN XLR HI INTENSITY-MIDAS PRO2C. PRO2 RIGHT SIDE
PRO2-HI SET	SPECIALLY PRICED HI INTENSITY SET FOR MIDAS PRO2

Individual Goosenecks (4-Pin Right Angle XLR Mount) - Low Intensity Halogen

Model	Description
6XR-4	Low Intensity 6" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
12XR-4	Low Intensity 12" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.
18XR-4	Low Intensity 18" Gooseneck Lamp w/ 4-Pin Right Angle XLR Connector - 2.4-Watt Halogen Light - Note: Consoles require a dedicated 12-volt task light connector for use of this product.

Raklite Single - LED

Model	Description
RL-10-S-LED	Raklite with (1) 12" LED Gooseneck (1 RU, U.S. Power Supply) - Three-way rotary switch (white light, red light, off) - Front Panel On/Off Swtich
RL-10-SA-LED	Raklite with (1) 12" LED Gooseneck (1 RU, No Power Supply) - Three-way rotary switch (white light, red light, off) - Front Panel On/Off Swtich

Raklite Single - High Intensity Halogen

Model	Description
RL-10-S	Raklite with (1) 12" High-Intensity Gooseneck (1 RU, U.S. Power Supply) - 5-Watt Halogen Light - Front Panel Dimmer
RL-10-SA	Raklite with (1) 12" High-Intensity Gooseneck (1 RU, No Power Supply) - 5-Watt Halogen Light - Front Panel Dimmer

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Raklite Dual - LED

Model	Description
RL-10-D-LED	Raklite with (2) 12" LED Gooseneck (1 RU, U.S. Power Supply) - Three-way rotary switch (white light, red light, off) - Front Panel On/Off Switch
RL-10-DA-LED	Raklite with (2) 12" LED Gooseneck (1 RU, No Power Supply) - Three-way rotary switch (white light, red light, off) - Front Panel On/Off Switch

Raklite Dual - High Intensity Halogen

Model	Description
RL-10-D	Raklite with (2) 12" High-Intensity Gooseneck (1 RU, U.S. Power Supply) - 5-Watt Halogen Light - Front Panel Dimmer
RL-10-DA	Raklite with (2) 12" High-Intensity Gooseneck (1 RU, No Power Supply) - 5-Watt Halogen Light - Front Panel Dimmer

Raklite Dual - 3-PIN XLR Connector

Model	Description
RLX	Raklite with (2) 3-Pin XLR Connectors (1 RU, U.S. Power Supply) - Front Panel Dimmer
RLX-A	Raklite with (2) 3-Pin XLR Connectors (1 RU, No Power Supply) - Front Panel Dimmer

Automotive Lampsets - LED

Model	Description
L-6/12-LED	LED 12" Gooseneck Automotive Lamp (End Chassis Light, Detachable Cigarette Plug Adapter) - Three-way rotary switch (white light, red light, off) - Gooseneck attached to end of chassis, allows light to lay flat when not in use
L-6/12-LED-BLUE	Blue LED. Permanent Mount 12" Gooseneck. Detachable Cigarette Plug Adapter
L-6/18-LED	LED 18" Gooseneck Automotive Lamp (End Chassis Light, Detachable Cigarette Plug Adapter) - Three-way rotary switch (white light, red light, off) - Gooseneck attached to end of chassis, allows light to lay flat when not in use
L-6/18-LED-BLUE	Blue LED. Permanent Mount 18" Gooseneck. Detachable Cigarette Plug Adapter

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
L-5/12-LED	LED 12" Gooseneck Automotive Lamp (End Chassis Light, Wiring Kit) - Three-way rotary switch (white light, red light, off) - Cordset routed through bottom of chassis for flush mounting - Gooseneck attached to end of chassis, allows light to lay flat when not in use
L-5/12-LED-BLUE	Blue LED. Permanent End Mount 12" Gooseneck. Automotive Wiring Kit
L-5/12-LED-3	End Mount 12" Gooseneck. Automotive Wiring Kit
L-5/12-LED-3-UV	End Mount 12" Gooseneck Automotive Wiring Kit
L-5/18-LED	LED 18" Gooseneck Automotive Lamp (End Chassis Light, Wiring Kit) - Three-way rotary switch (white light, red light, off) - Cordset routed through bottom of chassis for flush mounting - Gooseneck attached to end of chassis, allows light to lay flat when not in use
L-5/18-LED-BLUE	Blue LED. Permanent End Mount 18" Gooseneck. Automotive Wiring Kit
L-5/18-LED-3	End Mount 18" Gooseneck. Automotive Wiring Kit
L-5/18-LED-3-UV	End Mount 18" Gooseneck Automotive Wiring Kit
L-9/12-LED	LED 12" Gooseneck Automotive Lamp (Top Chassis Light, Wiring Kit) - Three-way rotary switch (white light, red light, off) - Cordset routed through bottom of chassis for flush mounting - Gooseneck attached to top of chassis
L-9/12-LED-BLUE	Blue LED. Permanent Mount 12" Gooseneck. Automotive Wiring Kit
L-9/12-LED-3	Top Mount 12" Gooseneck. Automotive Wiring Kit
L-9/12-LED-3-UV	Top Mount 12" Gooseneck Automotive Wiring Kit
L-9/18-LED	LED 18" Gooseneck Automotive Lamp (Top Chassis Light, Wiring Kit) - Three-way rotary switch (white light, red light, off) - Cordset routed through bottom of chassis for flush mounting - Gooseneck attached to top of chassis
L-9/18-LED-BLUE	Blue LED. Permanent Mount 18" Gooseneck. Automotive Wiring Kit
L-9/18-LED-3	Top Mount 18" Gooseneck. Automotive Wiring Kit
L-9/18-LED-3-UV	Top Mount 18" Gooseneck Automotive Wiring Kit

Automotive Lampsets - High Intensity Halogen

Model	Description
L-6/6	High-Intensity 6" Gooseneck Automotive Lamp (End Chassis Light, Detachable Cigarette Plug Adapter) - 5-Watt Halogen Light - Gooseneck attached to end of chassis, allows light to lay flat when not in use
L-6/6-LED-BLUE	Blue LED. Permanent Mount 6" Gooseneck. Detachable Cigarette Plug Adapter

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
L-6/6-LED	LED. Permanent Mount 6" Gooseneck. Detachable Cigarette Plug Adapter
L-6/12	High-Intensity 12" Gooseneck Automotive Lamp (End Chassis Light, Detachable Cigarette Plug Adapter) - 5-Watt Halogen Light - Gooseneck attached to end of chassis, allows light to lay flat when not in use
L-6/18	High-Intensity 18" Gooseneck Automotive Lamp (End Chassis Light, Detachable Cigarette Plug Adapter) - 5-Watt Halogen Light - Gooseneck attached to end of chassis, allows light to lay flat when not in use
L-5/6	High-Intensity 6" Gooseneck Automotive Lamp (End Chassis Light, Wiring Kit) - 5-Watt Halogen Light - Cordset routed through bottom of chassis for flush mounting - Gooseneck attached to end of chassis, allows light to lay flat when not in use
L-5/6-LED-BLUE	Blue LED. Permanent End Mount 6" Gooseneck. Automotive Wiring Kit
L-5/6 LED	LED. Permanent End Mount 6" Gooseneck. Automotive Wiring Kit
L-5/12	High-Intensity 12" Gooseneck Automotive Lamp (End Chassis Light, Wiring Kit) - 5-Watt Halogen Light - Cordset routed through bottom of chassis for flush mounting - Gooseneck attached to end of chassis, allows light to lay flat when not in use
L-5/18	High-Intensity 18" Gooseneck Automotive Lamp (End Chassis Light, Wiring Kit) - 5-Watt Halogen Light - Cordset routed through bottom of chassis for flush mounting - Gooseneck attached to end of chassis, allows light to lay flat when not in use
L-9/6	High-Intensity 6" Gooseneck Automotive Lamp (Top Chassis Light, Wiring Kit) - 5-Watt Halogen Light - Cordset routed through bottom of chassis for flush mounting - Gooseneck attached to top of chassis
LA-12-LED	LED 12" Lectern Detachable Flush Mount Gooseneck Lampset (U.S. Power Supply)
LA-12E-LED	LED 12" Detachable TNCGooseneck Lectern Assembly with Euro Power Supply
LA-12E-HI	High Intensity 12" Gooseneck Lectern Assembly with Euro Power Supply
LA-12A-HI	High Intensity 12" Gooseneck Lectern Assembly. No Power Supply
LA-12-HI	High Intensity 12" Gooseneck Lectern Assembly with US Power Supply
L-9/6-LED-BLUE	Blue LED. Permanent Mount 6" Gooseneck. Automotive Wiring Kit
L-9/6-LED	LED. Permanent Mount 6" Gooseneck. Automotive Wiring Kit
L-9/12	High-Intensity 12" Gooseneck Automotive Lamp (Top Chassis Light, Wiring Kit) - 5-Watt Halogen Light - Cordset routed through bottom of chassis for flush mounting - Gooseneck attached to top of chassis

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
L-9/18	High-Intensity 18" Gooseneck Automotive Lamp (Top Chassis Light, Wiring Kit) <ul style="list-style-type: none"> - 5-Watt Halogen Light - Cordset routed through bottom of chassis for flush mounting - Gooseneck attached to top of chassis
STOWLITE	12V Automotive Lamp (Detachable Cigarette Plug Adapter) <ul style="list-style-type: none"> - Easily stowed light that can be plugged-in when needed (not intended as a permanent light) - No built in on/off switch
TDM	Touch Dimmer
LCR-12-HI	High-Intensity 12" Utility Light <ul style="list-style-type: none"> - 5-Watt Halogen Light - Sturdy metal mounting plate - 12-Volt operation - Base Mounted On/Off Switch
LCR-18-HI	High-Intensity 18" Utility Light <ul style="list-style-type: none"> - 5-Watt Halogen Light - Sturdy metal mounting plate - 12-Volt operation - Base Mounted On/Off Switch

Automotive Lampsets - LED

Model	Description
LCR-12-LED	LED 12" Utility Light <ul style="list-style-type: none"> - Sturdy metal mounting plate - 12-Volt operation - Base Mounted On/Off Switch
LCR-12-LED-USB	5-VOLT LED Utility light 12" gooseneck with on/off switch bottom mount USB Cable
LCR-18-END-USB	5-VOLT LED Utility light 18" gooseneck with on/off switch end mount USB Cable
LCR-18-LED	LED 18" Utility Light <ul style="list-style-type: none"> - Sturdy metal mounting plate - 12-Volt operation - Base Mounted On/Off Switch
LCR-18-LED-USB	5-VOLT LED Utility light 18" gooseneck with on/off switch bottom mount USB Cable
LCR-24-LED	LED 24" Utility Light
LCR-24-LED-USB	5-VOLT LED Utility light 24" gooseneck with on/off switch bottom mount USB Cable
LCR-24-END-USB	5-VOLT LED Utility light 24" gooseneck with on/off switch end mount USB Cable

Accessories - Spare Bulbs

The 1815 is cool and the Q5 is a gas

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
Q5	High-Intensity Halogen Bayonet Lamp (One Lamp) - 5-Watt, 12-volt, 380mA tungsten-halogen bulb - Use with High Hood only
1815	Low-Intensity Halogen Bayonet Lamp (One Lamp) - 2.4-Watt, 12-volt, 230mA incandescent bulb

Battery Products - Light Set

Model	Description
CC-EB12A-LED	CC Lampset, 12" end mount gooseneck, bottom mount cord. No Power Supply.
CC-EB12E-LED	CC Lampset, 12" end mount gooseneck, bottom mount cord. Euro Power Supply.

Accessories - Mounting

What good is a light if you can't put it where you want it? We thought so too so we got busy and whacked together the following accessories that will clip, clamp, stick or set a Littlite wherever you need one.

Model	Description
CWB	Cast Weighted Base - Turn your Littlite lampset into a desk light - Improved design features four rubber feet for maximum stability - For use with L-1, L-2, L-3 and L-4 series - Will *not* work with L-7 series
HTC	High Tension Clamp - Attach a Littlite to this beauty with screws provided or with a Snap Mount and clip away
RAKIT	L-Series Mounting Bracket - Piggyback a Littlite L-series lampset to your rack without hogging any rack space - Can also be used as a universal bracket to mount a Littlite on just about any surface
SP	Stabilizer Plate for CWB - Includes bottom plate and four self-adhesive rubber feet - Prevents the CWB from tipping when the gooseneck is hyper-extended
MB	Magnetic Base with Adhesive Tape - Stick it to the bottom of your Littlite and then stick the whole shebang to something made of steel
SM	Snap Mount (One pair) - Two-piece, self-adhesive backed fastener type stuff - For use with L-1, L-2, L-3 and L-4 series
PS	BNC Panel Socket - For detachable G-series gooseneck

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
PS-T	TNC Panel Socket - For detachable T-series gooseneck
MP	Mounting Plate - For installing a DM, PS or P series gooseneck
MP 2	Dual Mounting Plate - Designed for a P or G series gooseneck and DM dimmer
XLR-PS3	3-Pin XLR Panel Socket (Black) - Panel socket for detachable X and XR series 3-pin XLR gooseneck
XLR-PS4	4-Pin XLR Panel Socket (Black) - Panel socket for detachable X and XR series 4-pin XLR gooseneck

Accessories - Power Supply and Wiring

Model	Description
GXF-10	U.S. Power Supply - 120VAC to 12VAC, 1 Amp - 6' cable terminating in a 5.5 x 2.1mm coaxial connector - Powers up to (2) High-Intensity lights (with WYE) or up to (4) Low-Intensity / LED lights (with PYE)
WYE	2 to 1 Adapter Cord - Connects two lampsets to single power supply

Battery Products - Accessories

Model	Description
AN-DL12A-LED-SPOT	ANSER Spot Desk Light. 12" Gooseneck and Dimmer w/ Weighted Base. No power supply.

Accessories - Power Supply and Wiring

Model	Description
PYE	4 to 1 Adapter Cord - Connects up to four lampsets to single power supply - Low-Intensity and LED only
EXT	6' Extension Cable - For GXF-10 and EXF-10G power supplies
FDB	Flat Display Mounting Bracket
EXT 2	Two-foot Extension cable for GXF-10 and EXF-10G
EXT 4	Four-foot Extension cable for GXF-10 and EXF-10G

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
LAD	2.1mm to Bare End Cable - For connecting GXF-10 Switching Power Supply to PS, PS-T, XLR-PS3, XLR-PS4 and P-series goosenecks
LCR-12-END-USB	5-VOLT LED Utility light 12" gooseneck with on/off switch end mount USB Cable
GAD	Spade Lug Adapter Cable - Enables use of GXF-10 and EXF-10 with older lampsets with spade lug power connections
BA	BNC Power Adapter Cable - Power your Littlite lampset from a BNC-style 12-volt connector
CP-2	Cigarette Plug to 2.1 mm Connector Adapter - Powers any Littlite lampset from a 12V cigarette plug style power point - Replaces the CP
LK	Replacement Dimmer Knob for L-Series
LV	12-Volt Vehicle Wiring Kit - Turns any L-series light into an automotive light
DM	Dimmer with "off" position - 10 watt maximum - Not a replacement dimmer for L-series lamp sets! Use our RD instead - Works with RL & RLX rack products - Perfect for custom installations, allowing you to place the dimmer in a location of your choice
DM-LED	10-Watt Dimmer with Knob for LED lights - Not for use with Lampsets

Accessories - Hoods

Model	Description
HH	High Hood with O-Rings - Use with L-3 and L-4 lamp sets and all high intensity series goosenecks
HLK	Hook Locking Kit - Hood Locking Kit prevents removal of High Hood
HIC	High Intensity Conversion Kit
LX	X-Series Hood with O-Rings - Use with X and XR series goosenecks

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Accessories - Miscellaneous

Model	Description
GPK	G-Series to Lampset Conversion Kit - Transforms any G-series gooseneck into a complete lamp set - Included dimmer with not work with G-LED goosenecks
GPK-T	T-Series to Lampset Conversion Kit - Transforms any T-series gooseneck into a complete lamp set - Included dimmer with not work with T-LED goosenecks
NVF-RED	Red Color Filter (3 Count) - For use with High Hood - Will not fit X-series hoods without modification
NVF-BLUE	Blue Color Filter (3 Count) - For use with High Hood - Will not fit X-series hoods without modification
NVF-CLEAR	Clear Color Filter (3 Count) - For use with High Hood - Will not fit X-series hoods without modification - Protects against accidentally touching the hot bulb
CF	Color Filter Kit-One Each Red, Blue, Clear (Pack of 3) Color Filter Kit (1x Red, 1x Blue, 1x Clear) - For use with High Hood - Will not fit X-series hoods without modification
L-1	Replacement Chassis Assembly with Dimmer, BNC Connector - For L-1 and L-4 series lamp sets - No power supply or accessories just in case you already have that stuff
L-8	Replacement Chassis Assembly with Dimmer, TNC Connector - For L-8 series lamp sets - No power supply or accessories just in case you already have that stuff
SC	Storage Clips for Detachable Goosenecks (1 pair)
XC	Storage Clip for X Series & automotive series goosenecks (single clip) - Mounts with self-adhesive backing
O-KIT	Spare High/Low Intensity O-Rings (12 count) - Not for use with X-Hoods
O-KIT-X	Spare X-Hood O-Rings (12 count)

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

LDC / Multi Volt-Dimming LED Products - Dimmer Controllers

Model	Description
LDC-1	<p>Littlite Dimmer Controller with End Out Cords</p> <ul style="list-style-type: none"> - Provides dimming control for multiple Littlite lampsets in any combination of High Intensity, Low Intensity and LED up to a 1 Amp draw - Operates on input voltage of 12-28 VDC - Standard 2.1mm connectors for power supply input and output to lights - Use PYE, WYE and EXT cords to connect the LDC to Littlite lampsets
LDC-2	<p>Littlite Dimmer Controller with Bottom Out Cords</p> <ul style="list-style-type: none"> - Provides dimming control for multiple Littlite lampsets in any combination of High Intensity, Low Intensity and LED up to a 1 Amp draw - Operates on input voltage of 12-28 VDC - Standard 2.1mm connectors for power supply input and output to lights - Use PYE, WYE and EXT cords to connect the LDC to Littlite lampsets

-

Model	Description
ANSER-USB	Accessory Cable-2.1mm to USB to Power ANSER from USB Port
AN-TB12-LED	ANSER LAMPSET 12" top mounted Gooseneck/bottom mount power cord. US Power Supply.
AN-TB18-LED	ANSER LAMPSET 18" top mounted Gooseneck/bottom mount power cord. US Power Supply.
AN-TB24-LED	ANSER LAMPSET 24" top mounted Gooseneck/bottom mount power cord. US Power Supply.
AN-TB12A-LED	ANSER LAMPSET 12" top mounted Gooseneck/bottom mount power cord. No Power Supply.
AN-TB18A-LED	ANSER LAMPSET 18" top mounted Gooseneck/bottom mount power cord. No Power Supply.
AN-TB24A-LED	ANSER LAMPSET 24" top mounted Gooseneck/bottom mount power cord. No Power Supply.
AN-TB12E-LED	ANSER LAMPSET 12" top mounted Gooseneck/bottom mount power cord. Euro Power Supply.
AN-TB18E-LED	ANSER LAMPSET 18" top mounted Gooseneck/bottom mount power cord. Euro Power Supply.
AN-TB24E-LED	ANSER LAMPSET 24" top mounted Gooseneck/bottom mount power cord. Euro Power Supply.
AN-TB12-LED-SPOT	ANSER SPOT LAMPSET 12" top mounted Gooseneck/bottom mount power cord. US Power Supply.
AN-TB18-LED-SPOT	ANSER SPOT LAMPSET 18" top mounted Gooseneck/bottom mount power cord. US Power Supply.
AN-TB24-LED-SPOT	ANSER SPOT LAMPSET 24" top mounted Gooseneck/bottom mount power cord. US Power Supply.
AN-TB18A-LED-SPOT	ANSER SPOT LAMPSET 18" top mounted Gooseneck/bottom mount power cord. No Power Supply.
AN-TB24A-LED-SPOT	ANSER SPOT LAMPSET 24" top mounted Gooseneck/bottom mount power cord. No Power Supply.
AN-TB12E-LED-SPOT	ANSER SPOT LAMPSET 12" top mounted Gooseneck/bottom mount power cord. Euro Power Supply.
AN-TB18E-LED-SPOT	ANSER SPOT LAMPSET 18" top mounted Gooseneck/bottom mount power cord. Euro Power Supply.
AN-TB24E-LED-SPOT	ANSER SPOT LAMPSET 24" top mounted Gooseneck/bottom mount power cord. Euro Power Supply.

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
MP-III	Mounting Plate for Flush Mounting Littlite Lampset
AN-TE12A-LED	ANSER Desk Light. 12" Gooseneck and Dimmer integrated into chassis. No Power Supply.
AN-TE12A-LED-SPOT	ANSER Spot Lamp Set. 12" Gooseneck and Dimmer integrated into chassis. No power supply.
AN-TE18A-LED-SPOT	ANSER Spot Lamp Set. 18" Gooseneck and Dimmer integrated into chassis. No power supply.
AN-TE24A-LED	ANSER Desk Light. 24" Gooseneck and Dimmer integrated into chassis. No Power Supply.
AN-TE24A-LED-SPOT	ANSER Spot Lamp Set. 24" Gooseneck and Dimmer integrated into chassis. No power supply.
AN-TE12-LED	ANSER Desk Light. 12" Gooseneck and Dimmer integrated into chassis Power Supply included.
AN-TE12-LED-SPOT	ANSER Spot Lamp Set. 12" Gooseneck and Dimmer integrated into chassis. US Power Supply
AN-TE18-LED	ANSER Desk Light. 18" Gooseneck and Dimmer integrated into chassis Power Supply included.
AN-TE18-LED-SPOT	ANSER Spot Lamp Set. 18" Gooseneck and Dimmer integrated into chassis. US Power Supply
AN-TE24-LED	ANSER Desk Light. 24" Gooseneck and Dimmer integrated into chassis Power Supply included.
AN-TE24-LED-SPOT	ANSER Spot Lamp Set. 24" Gooseneck and Dimmer integrated into chassis. US Power Supply
AN-TE12E-LED	ANSER Desk Light. 12" Gooseneck and Dimmer integrated into chassis. Euro Power Supply included.
AN-TE12E-LED-SPOT	ANSER Spot Lamp Set. 12" Gooseneck and Dimmer integrated into chassis. Euro power supply
AN-TE18E-LED	ANSER Desk Light. 18" Gooseneck and Dimmer integrated into chassis. Euro Power Supply included.
AN-TE18E-LED-SPOT	ANSER Spot Lamp Set. 18" Gooseneck and Dimmer integrated into chassis. Euro power supply
AN-TE24E-LED	ANSER Desk Light. 24" Gooseneck and Dimmer integrated into chassis. Euro Power Supply included.
AN-TE24E-LED-SPOT	ANSER Spot Lamp Set. 24" Gooseneck and Dimmer integrated into chassis. Euro power supply
AN-DL12-LED	ANSER Desk Light. 12" Gooseneck and Dimmer integrated into Weighted Base. Power Supply included.
AN-DL18A-LED-SPOT	ANSER Spot Desk Light. 18" Gooseneck and Dimmer w/ Weighted Base. No power supply.
AN-DL12-LED-SPOT	ANSER Spot Desk Light. 12" Gooseneck and Dimmer w/ Weighted Base. US Power Supply
AN-DL12-LED-3W-DUAL	ANSER DUAL Desk Light. Two 12" Goosenecks and Dimmer w/ Weighted Base. US Power Supply.
AN-DL12-LED-SPOT-3W-DUAL	ANSER DUAL Desk Light. Spot Version. Two 12" Goosenecks and Dimmer w/ Weighted Base. US Power Supply.
AN-DL18-LED	ANSER Desk Light. 18" Gooseneck and Dimmer integrated into Weighted Base. Power Supply included.
AN-DL24A-LED-SPOT	ANSER Spot Desk Light. 24" Gooseneck and Dimmer w/ Weighted Base. No power supply.
AN-DL18-LED-SPOT	ANSER Spot Desk Light. 18" Gooseneck and Dimmer w/ Weighted Base. US Power Supply
AN-DL18-LED-3W-DUAL	ANSER DUAL Desk Light. Two 18" Goosenecks and Dimmer w/ Weighted Base. US Power Supply.

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



The Professional, Versatile, Flexible, Durable, Gooseneck Task Light System



Pricing subject to change without notice.

Model	Description
AN-DL18-LED-SPOT-3W-DUAL	ANSER DUAL Desk Light. Spot Version. Two 18" Goosenecks and Dimmer w/ Weighted Base. US Power Supply.
AN-DL24-LED	ANSER Desk Light. 24" Gooseneck and Dimmer integrated into Weighted Base. Power Supply included.
AN-DL24-LED-SPOT	ANSER Spot Desk Light. 24" Gooseneck and Dimmer w/ Weighted Base. US Power Supply
AN-EE12-LED	ANSER LAMPSET 12" end mounted Gooseneck/end mount power cord. US Power Supply.
AN-EE18-LED	ANSER LAMPSET 18" end mounted Gooseneck/end mount power cord. US Power Supply.
AN-EE24-LED	ANSER LAMPSET 24" end mounted Gooseneck/end mount power cord. US Power Supply.
AN-EE12A-LED	ANSER LAMPSET 12" end mounted Gooseneck/end mount power cord. No Power Supply.
AN-EE18A-LED	ANSER LAMPSET 18" end mounted Gooseneck/end mount power cord. No Power Supply.
AN-EE24A-LED	ANSER LAMPSET 24" end mounted Gooseneck/end mount power cord. No Power Supply.
AN-EE12E-LED	ANSER LAMPSET 12" end mounted Gooseneck/end mount power cord. Euro Power Supply.
AN-EE18E-LED	ANSER LAMPSET 18" end mounted Gooseneck/end mount power cord. Euro Power Supply.
AN-EE24E-LED	ANSER LAMPSET 24" end mounted Gooseneck/end mount power cord. Euro Power Supply.
AN-EE12-LED-SPOT	ANSER SPOT LAMPSET 12" end mounted Gooseneck/end mount power cord. US Power Supply.
AN-EE18-LED-SPOT	ANSER SPOT LAMPSET 18" end mounted Gooseneck/end mount power cord. US Power Supply.
AN-EE24-LED-SPOT	ANSER SPOT LAMPSET 24" end mounted Gooseneck/end mount power cord. US Power Supply.
AN-EE12A-LED-SPOT	ANSER SPOT LAMPSET 12" end mounted Gooseneck/end mount power cord. No Power Supply.
AN-EE18A-LED-SPOT	ANSER SPOT LAMPSET 18" end mounted Gooseneck/end mount power cord. No Power Supply.
AN-EE24A-LED-SPOT	ANSER SPOT LAMPSET 24" end mounted Gooseneck/end mount power cord. No Power Supply.
AN-EE12E-LED-SPOT	ANSER SPOT LAMPSET 12" end mounted Gooseneck/end mount power cord. Euro Power Supply.
AN-EE18E-LED-SPOT	ANSER SPOT LAMPSET 18" end mounted Gooseneck/end mount power cord. Euro Power Supply.
AN-EE24E-LED-SPOT	ANSER SPOT LAMPSET 24" end mounted Gooseneck/end mount power cord. Euro Power Supply.
AN-DL12E-LED	ANSER Desk Light. 12" Gooseneck and Dimmer integrated into Weighted Base. Euro Power Supply included.
AN-DL12E-LED-SPOT	ANSER Spot Desk Light. 12" Gooseneck and Dimmer w/ Weighted Base. Euro Power Supply
AN-DL18E-LED	ANSER Desk Light. 18" Gooseneck and Dimmer integrated into Weighted Base. Euro Power Supply included.
AN-DL18E-LED-SPOT	ANSER Spot Desk Light. 18" Gooseneck and Dimmer w/ Weighted Base. Euro Power Supply
AN-DL24E-LED	ANSER Desk Light. 24" Gooseneck and Dimmer integrated into Weighted Base. Euro Power Supply included.
AN-DL24E-LED-SPOT	ANSER Spot Desk Light. 24" Gooseneck and Dimmer w/ Weighted Base. Euro Power Supply

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz